


- REBAR ESTIMATE:**
- SUSPENDED SLAB - 110Kg/m³
 - BEAMS - 220Kg/m³
 - COLUMNS - 210Kg/m³
 - BASES - 80Kg/m³
 - RAFT FOUNDATION - 97Kg/m³

- NOTES**
- CONCRETE MIX: - 30MPa/19mm STONE LOW W/C RATIO (±0.55)
 - THE FLOOR SHALL NOT BE CAST PRIOR TO APPROVAL OF SUB-BASE COMPACTION
 - FORMED SURFACES TO BE SMOOTH OFF-SHUTTER
 - SMOOTH POWERFLOAT FINISH TO TOP OF SLAB
 - CONCRETE SLABS SHALL BE WET CURED FOR 5 DAYS
 - SIKAFLOOR CUREHARD-24" SHALL BE APPLIED TO CONCRETE SURFACE AFTER CONSTRUCTION OF ALL CONSTRUCTION JOINTS
 - PAINTING - "SIKAFLOOR" POLYURETHANE TO CONCRETE FLOORS (FACTORY ONLY)


CASTING SEQUENCE LAYOUT
SCALE 1:200

LEGEND
B1... - BEAM CASTING SEQUENCE (POUR 1)
S1... - SLAB CASTING SEQUENCE (POUR 2)

LEGEND
- - - CONSTRUCTION JOINT



BEAM CONSTRUCTION JOINT (POUR 1)
SCALE 1:10



FLOOR CONSTRUCTION JOINT (POUR S...)
SCALE 1:5

Consultant Signature

ECSA REG NO: 201470009
NHBC REG NO: 126308441

No	Date	Details	Drawn	Chd
B	10/09/18	MORE DETAILS PROVIDED	AJ	MM
A	04/09/18	ISSUED FOR TENDER	AJ	MM

Client



ZDM
ZDM CONSULTING CIVIL & STRUCTURAL ENGINEERS
8A BONZA BAY ROAD
BEACON BAY
EAST LONDON
TEL: 020 808 608 3511
FAX: 020 808 608 3511
EMAIL: info@zdmeng.co.za

Discipline
STRUCTURES

Consultant Signature	Drawn	Designed	Checked	SIZE
AJ	LM	MM	AD	

Project
D-FENCE FACTORY

Description
RAFT FOUNDATION CASTING SEQUENCE LAYOUT

Scale
AS INDICATED

Date
AUG 2018

Project No.
E032/300/001A

Revision
B

ISSUED FOR TENDER