

The design and content of this drawing is the property of Osmond Lange Architects and the copyright thereof is reserved by them.

GENERAL NOTE

1. ALL STRUCTURAL, ELECTRICAL, CIVIL, AND LANDSCAPING QUERIES ARE TO BE REFERRED TO THE RELEVANT CONSULTANTS DRAWINGS, SPECIFICATIONS AND DETAILS.
2. ALL PLUMBING QUERIES ARE TO BE REFERRED TO THE RELEVANT SPECIALIST CONSULTANTS DRAWINGS, SPECIFICATIONS AND DETAILS.
3. ALL CONCRETE, COLUMN AND STRUCTURAL QUERIES ARE TO BE REFERRED TO PR. STRUCTURAL ENGINEER'S DRAWINGS, SPECIFICATIONS AND DETAILS.
4. ALL EXTERNAL / INTERNAL WALLS REQUIRING BRACING / STIFFENING ARE TO BE CONSTRUCTED IN ACCORDANCE WITH PR. STRUCTURAL ENGINEER'S DRAWINGS, SPECIFICATIONS AND DETAILS.
5. ALL SPECIFICATIONS WITH REGARD TO FIRE REGULATIONS, TO BE REFERRED TO CONSULTANTS DRAWINGS, SPECIFICATIONS AND DETAILS.
6. ALL DESIGN AND CONSTRUCTION TO COMPLY WITH THE RELEVANT SARS REGULATIONS.
7. ANY DISCREPANCY IN THE DRAWINGS, DIMENSIONS & SPECIFICATIONS TO BE BROUGHT TO THE ATTENTION OF THE CONSULTANT AND ARCHITECT PRIOR TO ANY WORK BEING PUT IN HAND.
8. ONLY FIGURED DIMENSIONS TO BE FOLLOWED - SCALED DIMENSIONS OF DRAWINGS WILL NOT BE PERMITTED.

No	Date	Revision Description	By

PROJECT TEAM

Project Managers :
newground projects
Newground Projects 17 St Andrews Road, Selborne, East London, 5201 043 722 5864
Louis Fourie 0825766828
Louis@newground.co.za

Principal Agent/ Architects :

OL OSMOND LANGE ARCHITECTS & PLANNERS
Osmond Lange Architects and Planners Plot Mill House, The Quarry, Selborne East London (043) 721-0033
William Martinson 083 3209000
William@ol.co.za

Quantity Surveyors :

BISLWE VAN NIEKERK
Biswe Van Niekerk The Ridge Office Park, 2nd Floor 3 Berea Terrace, Berea, East London 043 721 1043
Willem van Niekerk 0824921695
willem@bislwe.co.za

Civil & Structural Engineers :

bvi BORDERS VINCENT INVESTMENT
BVI Border 1st Floor, Esprit House, St Helena Drive East London, 5241 043 - 722 2738
Werner de Lange 082 578 0674
Werner@bvi.co.za

Electrical & Mechanical Engineers :

evans CONSULTING ENGINEERS
Evans Consulting Engineers cc 17 Surrey Road, Vincent, East London 5247 043 7213192
Darryl Evans 083 7026399
darryl@evansconsulting.co.za

Town Planners :

CS CONSULTING
CS Consulting 12 Pearoe Street, Harraway House Berea, East London 5241
Craig Sam 0793267147
Craig@csamconsulting.co.za

CLEINT

east london idz business streamlined
P.O. Box 5458, Greenfields East London, 5209
Lower Chester Road Sunningridge, 5201 East London, South Africa
Tel: +27(0)437028200 Fax: +27(0)437366405
Email: info@elidz.co.za

CLIENT APPROVAL :
DATE :
Garry Whittaker
Project Manager
Tel: 083 7026247
Cell: 082 34632399
E-mail: gary@elidz.co.za

TENANT

NAME : _____ TENANT APPROVAL : _____
DESIGNATION: _____ DATE : _____

Project _____

Drawing Title
**STORMWATER
GENERAL DETAILS 2 OF 3**

Date	01.05.2019	Drawn	Author
Scale	AS SHOWN	Checked	Checker


Approved

Name: Approver Reg No: PrAr05559
Signature: _____ Date: _____
Practice: Osmond Lange Architects and Planners


Workstage

FOR INFORMATION


Drawing Number	Revision
33722- HS1 -DET-3	<div></div>



PLAN - KERB INLET TYPE B
SCALE 1:20



PLAN - KERB INLET TYPE A
SCALE 1:20



SECTION A-A
SCALE 1:20


SECTION B-B
SCALE 1:20

NOTES:


1. MINIMUM COVER TO REINFORCEMENT TO BE 30mm.
2. ALL CONCRETE TO BE CLASS 25/19 MPa
3. FRAME TO BE CAST IN WITH SLAB
4. STEP IRONS TO BE CALUMITE OR SIMILAR APPROVED, AND SHALL HAVE A VERTICAL SPACING OF 300mm AND SHALL BE STAGGERED LEFT AND RIGHT AT 200mm CENTER TO CENTER.
5. ALL MANHOLE COVERS AND TOP SLABS TO BE CONSTRUCTED TO CONFORM TO ROAD, WALKWAY, OR SURROUNDING SURFACE LEVELS AND SLOPES.
6. ALL INTERNAL FACES OF BRICKWORK TO BE PLASTERED 15mm THICK.
7. PIPE AND BENCHING ARRANGEMENT TYPICAL VARIES WITH CIRCUMSTANCES.
8. ALL PRECAST ELEMENTS TO BE SMOOTH FINISH WITH NO BLEMISHING
9. CRACKED, CHIPPED AND DAMAGED ELEMENTS ARE TO BE REMOVED OFF SITE AND WILL NOT BE PERMITTED TO BE INSTALLED
10. ALL EXPOSED SURFACES TO HAVE STEEL FLOW FINISHES

CHAMBER SCHEDULE


DEPTH BELOW COVER	BRICKWORK THICKNESS	REINFORCING STEEL AT EACH COURSE	BASE SLAB THICKNESS
m	mm	No.	mm
UP TO 2	230	2	150
2 TO 5	345	2	200
5 TO 6	575	2	300




INLET COVER SLAB
SCALE 1:20




SECTION J-J
SCALE 1:20



INLET TRANSITION PLAN
SCALE 1:20



SECTION K-K
SCALE 1:20



SECTION L-L
SCALE 1:20