

PLAN OF SEGMENT 1
(200mm DEEP)



PLAN OF SEGMENT 2 & 3
(SEGMENT 2 = 200mm DEEP)
(SEGMENT 3 = 100mm DEEP)



PLAN OF SEGMENT 4
(100mm DEEP)



PLAN OF LID
(85mm DEEP)

NOTES:
1. ALL STEEL FITTINGS TO BE FUSION BONDED EPOXY COATED.
2. ALL INTERNAL FACES OF BRICKWORK TO BE PLASTERED 10mm THICK.
3. BASE SLAB TO BE REINFORCED WITH Y12 BARS @ 150 CENTRES EACH WAY.
4. MIN COVER TO REINFORCING TO BE 30mm.



MEMBER NUMBER	BAR MARK	SIZE	NO OF BARS	LENGTH mm	BEND
1	A	Y12	6	1900	STR
1	B	Y12	8	1200	STR
1	C	Y12	8	755	STR
1	D	Y12	4	1200	STR
1	E	Y12	3	1080	STR
1	F	Y12	4	280	STR
1	G	Y12	3	160	STR

PLAN (TYPE A) - WATER METER CHAMBER COVER SLAB
SCALE 1:20



MEMBER NUMBER	BAR MARK	SIZE	NO OF BARS	LENGTH mm	BEND
1	A	Y12	6	2315	STR
1	B	Y12	9	1180	STR
1	C	Y12	8	670	STR
1	D	Y12	4	300	STR
1	E	Y12	4	260	STR
1	F	Y12	2	1340	STR

PLAN (TYPE B) - WATER METER CHAMBER COVER SLAB
SCALE 1:20



SECTION: TYPE A
WATER METER CHAMBER FOR 160/ 110mm Ø DOMESTIC SUPPLY MAIN
SCALE 1:20



SECTION: TYPE B
WATER METER CHAMBER FOR 160mm Ø FIRE HYDRANT SUPPLY MAIN
SCALE 1:20

CHAMBER SCHEDULE				
DEPTH BELOW COVER	BRICKWORK THICKNESS	REINFORCING STEEL AT EACH COURSE		BASE SLAB THICKNESS
m	mm	No.	mm	mm
UP TO 2	230	2	Y6	150
2 TO 5	345	2	Y6	200
5 TO 8	575	2	Y8	300

Osmond Lange Architects and Planners (Pty) Ltd East London

Postal: P O Box 19475, Tecoma, 5214

Address: Pilot Mill House The Quarry Selborne, East London

Tel: (043) 721-0033
Fax: (043) 721-0036
Email: els@o-l-co.za

The design and content of this drawing is the property of Osmond Lange Architects and the copyright thereof is reserved by them.

GENERAL NOTE

1. ALL STRUCTURAL, ELECTRICAL, CIVIL AND LANDSCAPING QUERIES ARE TO BE REFERRED TO THE RELEVANT CONSULTANTS DRAWINGS, SPECIFICATIONS AND DETAILS.
2. ALL PLUMBING QUERIES ARE TO BE REFERRED TO THE RELEVANT SPECIALIST CONSULTANT'S DRAWINGS, SPECIFICATIONS AND DETAILS
3. ALL CONCRETE, COLUMNS AND STRUCTURAL QUERIES ARE TO BE REFERRED TO P/L STRUCTURAL ENGINEER'S DRAWINGS, SPECIFICATIONS AND DETAILS
4. WHERE SAND / CEMENT INTERNAL WALL IS TROWELLED SMOOTH, STIFFENING RIBS ARE TO BE CONSTRUCTED IN ACCORDANCE WITH P/L STRUCTURAL ENGINEER'S DRAWINGS, SPECIFICATIONS AND DETAILS.
5. ALL SPECIFICATIONS WITH REGARD TO FIRE REGULATIONS, TO BE REFERRED TO CONSULTANTS DRAWINGS, SPECIFICATIONS AND DETAILS.
6. ALL DESIGN AND CONSTRUCTION TO COMPLY WITH THE RELEVANT SANS REGULATIONS.
7. ANY DISCREPANCY IN THE DRAWINGS, DIMENSIONS & SPECIFICATIONS TO BE BROUGHT TO THE ATTENTION OF THE CONSULTANT AND ARCHITECT PRIOR TO ANY WORK BEING PUT IN HAND.
8. ONLY FIGURED DIMENSIONS TO BE FOLLOWED - SCALED DIMENSIONS OF DRAWINGS WILL NOT BE PERMITTED

No	Date	Revision Description	By

PROJECT TEAM

Principal Agent/ Architects :

Osmond Lange Architects and Planners Pilot Mill House, The Quarry, Selborne East London
(043) 721-0033
William Martinson
083 3259690
Williamm@o-l-co.za

Civil & Structural Engineers :

BVI Border 1st Floor, Esprit House, St Hellens Drive
East London, 5241
043 - 722 2738
Werner de Lange
082 578 0674
WernerdL@bvi.co.za

CLEINT

PO Box 5458, Greenfields
East London, 5208
Lower Chester Road
Sunnyridge, 5201
East London, South Africa
Tel: +27(0)437026200
Fax:+27(0)437366405
Email: info@eldz.co.za

CLIENT APPROVAL :

DATE :

Gary Whittaker
Project Manager
Tel: 043 7026247
Cell: 082 3483299
E-mail: gary@eldz.co.za

TENANT

SUNDALE

NAME :

TENANT APPROVAL :

DESIGNATION:

DATE :

Project

Drawing Title
WATER, FIRE & DOMESTIC SUPPLY DETAILS

Date	Drawn	Author
01.05.2019		
Scale: AS SHOWN	Checked	Checker

Approved

Name: Approver — Reg No: PrArch5559

Signature: — Date:

Practice: Osmond Lange Architects and Planners

Workstage
FOR INFORMATION

Drawing Number: 33722-SUND-DET-5

Revision

2019/05/06 12:02:01 PM