



GENERAL NOTES TO CONTRACTOR

- 1.) Door frame profiles are manufactured according to SABS specification No. 1129 of 1977
- 2.) Always check the frames when building for squareness and plumb as they cannot be corrected afterwards
- 3.) After building in the contractor is to take all necessary measures to protect the frames from any on-site damage.

Duct External Door

Type:	Quantity:	Type Mark:
813 x 2032mm	01	D13

Door

Description:

813 x 2032mm high custom made duct door with 38 x 50mm meranti structure and 150 x 20mm meranti slats. Fixed with stainless steel screws.

Finish:

Description:

Door to be finished as follows:
3 Coats Woodoc 50 Clear Exterior Sealer Marine (Matt)

Frame

Description:

Meranti door frame with 70x90mm rebate and 19mm meranti quadrants on both sides, All to approved manufacturers design, detail and specifications.

Finish:

Description:

Ironmongery:

Refer to Ironmongery Schedule

Glazing:

None

QUANTITIES TO BE VERIFIED PRIOR TO PLACEMENT OF ORDER.
MASONRY OPENINGS TO BE VERIFIED ON SITE PRIOR TO COMMENCEMENT OF MANUFACTURE.
SUPPLIER TO BE IN ACCORDANCE WITH ALL SABS AND NBR STANDARDS



1st Floor, Office 4A,
Leadwood House, Cedar Square,
Bonza Bay Road, Beacon Bay,
East London 5241
TEL 043 726 7786
rob@intsika.com

MANUFACTURING FACILITY -IW4 IN ZONE 1A

DRAWN BY: A.T

CHECKED BY: C.G

ERF NO: 60948 & 60950

SCALE: 1: 50

ISSUED FOR **TENDER**

DATE: 2021/06/03

PRINTING DATE: 2021/06/03

DRAWING NAME
DOOR 13

DRAWING NO:
CO 05-1.18

REVISION

