

LEGEND :

- 160mm Ø uPVC CLASS 34 SEWER PIPE
- SEWER MANHOLE
- SEWER RODDING EYE
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- FIGURE 3 BARRIER KERB
- FIGURE 11 BARRIER KERB
- PAVED WALKWAY
- GRASSED AREA
- GRAVELED AREA
- PAVED PARKING AREA
- CONCRETE HARDSTAND

NOTES :

- ALL BULK EARTHWORKS TO BE CONSTRUCTED AS DESCRIBED IN S.A.N.S. (S.A.B.S.) 1200D UNLESS OTHERWISE SPECIFIED.
- ALL BULK BACKFILL UNDER BUILDINGS TO BE EQUIVALENT TO G7 GRADE MATERIAL COMPACTED TO 95% MOD. A.A.S.H.T.O. UNLESS OTHERWISE SPECIFIED.
- ALL PIPE TRENCHING TO BE IN ACCORDANCE WITH S.A.N.S. (S.A.B.S.) 1200DB UNLESS OTHERWISE SPECIFIED.
- ALL PIPES TO BE LAID IN ACCORDANCE WITH S.A.N.S. (S.A.B.S.) 1200 I & 1200 LB UNLESS OTHERWISE SPECIFIED.
- ALL SEWERS TO BE CONSTRUCTED IN ACCORDANCE WITH S.A.N.S. (S.A.B.S.) 1200LD UNLESS OTHERWISE SPECIFIED.
- ALL ROADWORKS TO BE CONSTRUCTED IN ACCORDANCE WITH S.A.N.S. (S.A.B.S.) 1200DM, M, HE, ME, MF, MS, MJ, MK & MM UNLESS OTHERWISE SPECIFIED.
- ALL BRICKWORK IN THE GROUND TO BE SOLID, CLAY, NFX BRICKS OR SIMILAR APPROVED.
- CUT TO FILL MATERIAL SHOULD BE G7 QUALITY. IF IF INTERIOR GRADE MATERIAL IS ENCOUNTERED, G7 QUALITY MATERIAL MUST BE IMPORTED.

| Job No | Discipline | Type | Drawing No. | Revision |
|--------|------------|------|-------------|----------|
| | | | | |

Note:
Do not scale from this drawing. Check all given dimensions and site dimensions and/or levels prior to any pricing, manufacture or construction of any item.
Greater detail drawings take preference.
Please report any discrepancies to the architect.

The copyright for the design and information on this drawing is vested and may not be copied or reproduced without the written authority of the Architects.

Location Diagram

| Rev. | On | Description | Date |
|------|----|-------------|------|
| | | | |

FOR TENDER

Contractor:

PROFESSIONAL TEAM

Lead Consultant:

S+P Architects
123 Western Av. Vincent, East London, 5247
Tel: +27 43 726 9327
Fax: +27 43 726 9327
Email: info@smale.co.za
Web: www.smale.co.za

Architect:

S+P Architects
123 Western Av. Vincent, East London, 5247
Tel: +27 43 726 9327
Fax: +27 43 726 9327
Email: info@smale.co.za
Web: www.smale.co.za

Quantity Surveyor:

PULANA BAXTER & ASSOCIATES
QUANTITY SURVEYORS & PROJECT MANAGERS
27 Beach Rd, Nahoon East London, 5241
Tel: +27 43 748 6725
Fax:
Email:

Electrical & Mechanical Engineers:

HSC CONSULTING
STRUCTURAL AND CIVIL ENGINEERS
18 St Marks Road Southernwood East London, 5213
Tel: +27 43 743 9528
Fax: +27 43 743 5347
Email: hsc@hsc.co.za

Structural & Civil Engineer:

HSC CONSULTING
STRUCTURAL AND CIVIL ENGINEERS
18 St Marks Road Southernwood East London, 5213
Tel: +27 43 743 9528
Fax: +27 43 743 5347
Email: hsc@hsc.co.za

Tenant:

DAIMLER TRUCKS SOUTH AFRICA

Eirf No:

Client:

EAST LONDON IDZ
P.O. Box 5456, Greenfields East London, 5208
Lower Chester Road Sunningdale, East London, 5201
Tel: +27 43 752 8200
Fax: +27 43 758 6605
Email: info@eldz.co.za

Drawing Issued by:

HSC CONSULTING
STRUCTURAL AND CIVIL ENGINEERS
18 St Marks Road Southernwood East London, 5213
Tel: +27 43 743 9528
Fax: +27 43 743 5347
Email: hsc@hsc.co.za

HSC CONSULTING

Project Name

DAIMLER TRUCKS SOUTH AFRICA ZONE 1A

Drawing Title

SEWER RETICULATION LAYOUT

Drawing Originator

HSC CONSULTING

| Checked By | Checked Date | Drawn By | Drawn Date |
|------------|--------------|----------|------------|
| NB | 13/05/2025 | MA | 13/05/2025 |

| Approved By | Approval Date | CCSA Number |
|-------------|---------------|-------------|
| BG | 13/05/2025 | 201270397 |

| Building Ref Reference | Scale |
|------------------------|-------|
| | 1:500 |

| Job No | Discipline | Type | Drawing No. | Revision |
|--------|------------|----------|-------------|----------|
| P2434 | CIVIL | APPROVAL | C03 | 0 |

