

## Sanitary Schedule:

**Project:** ELIDZ EB/NW1/10/24/Z1A: MANUFACTURING  
FACILITY IN ZONE 1A

**Project Number:** 0077




Referenced to : LIXRQUO-210219.1 (Wendy De Koning 2025-04-15)

Proposal Number :


Project Name:





Rev #	By	Date	Description
-------	----	------	-------------


Rev	-	-	-
Note:			

	<b>ELIDZ EB/NW1/10/24/Z1A: MANUFACTURING FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		





OFFICE BLOCK - ASSISTED ABLUTION				
Code	Qty.	Spec	Photo / Example	Price Excl Vat & Mark-Up
PARPAN CCF0000 UE / PARCISS FLONOM UE / DUTMEC PAROCC MUS	1X	Atlas Paraplegic Assisted Mobility Close-Couple WC Set (Side Flush, Raised Height)		
BET- WCL008 A	1X	Classico wall-hung basin only 605x515mm white. With two tap hole configuration and integrated overflow.  Colour : White		
TGWBR OSE	1X	TG - WASH BASIN OVERFLOW ROSETTE 24mm		
COB – 385-35N	1X	COBRA - WASTE, TRAP OVERFLOW - BOTTLE TRAP - CHROME Product Notes:Re-sealable basin type. With adjustable telescopic waste connection pipe and polymer body. 1 1/4"BSP female inlet connection. 35mm outlet connection with wall flange. Brass body.		
111- 15/NV	2X	Cobra Star Heavy Pattern Chrome plated pillar tap including hot & cold indices. The original star-shaped design. Well-suited for use in low water pressure environments. 1/2" BSP male connection ends. Made with de- zincification resistant brass for increased durability.		


	<b>ELIDZ EB/NW1/10/24/Z1A: MANUFACTURING FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		







COB-FWACBS 01-0GT01	1X	Cobra - - Waste, Trap & Overflow - Waste Basin - Chrome Notes: Click type. Slotted, with integral plug. 62mm A~ flange, 80mm long shank. 1 1/4"BSP Male iron connection end. Colour : CH		
232-10/NV	2X	Angle regulating valve with durable ABS handle, DZR body, flow regulating spindle type headpart G1/2 X G1/2 BSP connections.		
C-15/350	2X	Flexi Connector Flexible connector, fxf, chrome.		
-	1X	6mm glass mirror, silver-backed & beveled edge all round, size 900mm high x 450mm wide & pre-drilled in all corners. Mirror to be centred above each wash basin & mounted at height as per Room Data Schedules. Mirror to be plugged & screwed to wall with chrome-plated dome capped screws.		
SD 1310.	1X	Serra Rol TR Range or similar approved grade 304 (18/10) stainless steel satin finish lockable 2 roll toilet roll holder Serra Rol TR2 code SD1310. Toilet roll holder either screwed to toilet partition or plugged & screwed to brick wall to position & height as per Room Data Schedules.		
-	1X	600mm long chrome-plated brass towel rail, complete with wall brackets & to be plugged & screwed to brick wall to position & height as per Room Data Schedules.		
-	-	<b>Soap dispensers, towel dispensers, sanitary bins, waste</b>		


	<b>ELIDZ EB/NW1/10/24/Z1A: MANUFACTURING FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		





		bins, etc part of tenant installation..		
--	--	---	--	--


OFFICE BLOCK - FEMALE CHANGEROOM				
Code	Qty.	Spec	Photo / Example	Price Excl Vat & Mark-Up
RT0208A	3X	BETTA Rapido Low Level Pan wh		
FFUUSB FJ- 0GT0173 /FJ2-100	3X	COBRA - FLUSH JUNIOR TOILET BACK ENTRY - CHROME Product Notes: Junior Flushmaster exposed flush valve, chrome. Includes: back entry, flush pipe, rubber pan connector, wall flange, rubber seat buffer, integral vacuum breaker, and nonhold open feature. SANS 1240.		
BET- WCL008 A	3X	Classico wall-hung basin only 605x515mm white. With two tap hole configuration and integrated overflow.  Colour : White		
TGWBR OSE	3X	TG - WASH BASIN OVERFLOW ROSETTE 24mm		

	<b>ELIDZ EB/NW1/10/24/Z1A: MANUFACTURING FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		





COB-FWACBS 01-0GT01	3X	Cobra - - Waste, Trap & Overflow - Waste Basin - Chrome Notes: Click type. Slotted, with integral plug. 62mm A~ flange, 80mm long shank. 1 1/4"BSP Male iron connection end. Colour : CH		
COB – 385-35N	3X	COBRA - WASTE, TRAP OVERFLOW - BOTTLE TRAP - CHROME Product Notes:Re-sealable basin type. With adjustable telescopic waste connection pipe and polymer body. 1 1/4"BSP female inlet connection. 35mm outlet connection with wall flange. Brass body.		
111-15/NV	6X	Cobra Star Heavy Pattern Chrome plated pillar tap including hot & cold indices. The original star-shaped design. Well-suited for use in low water pressure environments. 1/2" BSP male connection ends. Made with de-zincification resistant brass for increased durability.		
232-10/NV	6X	Angle regulating valve with durable ABS handle, DZR body, flow regulating spindle type headpart G1/2 X G1/2 BSP connections.		
C-15/350	6X	Flexi Connector Flexible connector, fxf, chrome.		
COB-373	2X	COBRA Watertech shower P-trap rough brass, including shallow seal, chrome plated grating and 1 1/2 " female outlet.		


	<b>ELIDZ EB/NW1/10/24/Z1A:</b> <b>MANUFACTURING</b> <b>FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		







COB-KP2-6	2X	COBRA Watertech vandal proof chrome plated single function fixed shower head – including ½ “ BSP male inlet, 10l/min maximum flow restrictor, self-cleaning spray nozzle.		
COB-FSTAC1 SR-0GT01	4X	Cobra - Star - Tap & Mixer Screw Down - Stop Tap - Chrome Notes: With sliding wall flange. 15mm compression connection ends. CP		
SD2070	2X	SERRA soap dish, constructed from dura high quality Stainless steel (BA finish)		
SD 1310.	3X	Serra Rol TR Range or similar approved grade 304 (18/10) stainless steel satin finish lockable 2 roll toilet roll holder Serra Rol TR2 code SD1310. Toilet roll holder either screwed to toilet partition or plugged & screwed to brick wall to position & height as per Room Data Schedules.		
-	3X	6mm glass mirror, silver-backed & beveled edge all round, size 900mm high x 450mm wide & pre-drilled in all corners. Mirror to be centred above each wash basin & mounted at height as per Room Data Schedules. Mirror to be plugged & screwed to wall with chrome-plated dome capped screws.		
-	1X	600mm long chrome-plated brass towel rail, complete with wall brackets & to be plugged & screwed to brick wall to position & height as per Room Data Schedules.		
-	-	<b>Soap dispensers, towel dispensers, sanitary bins, waste</b>		


	<b>ELIDZ EB/NW1/10/24/Z1A: MANUFACTURING FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		

		bins, etc part of tenant installation..		
--	--	---	--	--






OFFICE BLOCK - MALE CHANGEROOM				
Code	Qty.	Spec	Photo / Example	Price Excl Vat & Mark-Up
RT0208A	3X	BETTA Rapido Low Level Pan wh		
FFUUSB FJ- 0GT0173 /FJ2-100	3X	COBRA - FLUSH JUNIOR TOILET BACK ENTRY - CHROME Product Notes: Junior Flushmaster exposed flush valve, chrome. Includes: back entry, flush pipe, rubber pan connector, wall flange, rubber seat buffer, integral vacuum breaker, and nonhold open feature. SANS 1240.		
BET- WCL008 A	3X	Classico wall-hung basin only 605x515mm white. With two tap hole configuration and integrated overflow.  Colour : White		
TGWBR OSE	3X	TG - WASH BASIN OVERFLOW ROSETTE 24mm		


	<b>ELIDZ EB/NW1/10/24/Z1A: MANUFACTURING FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		



COB-FWACBS 01-0GT01	3X	Cobra - - Waste, Trap & Overflow - Waste Basin - Chrome Notes: Click type. Slotted, with integral plug. 62mm A~ flange, 80mm long shank. 1 1/4"BSP Male iron connection end. Colour : CH		
COB – 385-35N	3X	COBRA - WASTE, TRAP OVERFLOW - BOTTLE TRAP - CHROME Product Notes:Re-sealable basin type. With adjustable telescopic waste connection pipe and polymer body. 1 1/4"BSP female inlet connection. 35mm outlet connection with wall flange. Brass body.		
111-15/NV	6X	Cobra Star Heavy Pattern Chrome plated pillar tap including hot & cold indices. The original star-shaped design. Well-suited for use in low water pressure environments. 1/2" BSP male connection ends. Made with de-zincification resistant brass for increased durability.		
232-10/NV	6X	Angle regulating valve with durable ABS handle, DZR body, flow regulating spindle type headpart G1/2 X G1/2 BSP connections.		
C-15/350	6X	Flexi Connector Flexible connector, fxf, chrome.		
COB-373	3X	COBRA Watertech shower P-trap rough brass, including shallow seal, chrome plated grating and 1 1/2 " female outlet.		

	<b>ELIDZ EB/NW1/10/24/Z1A:</b> <b>MANUFACTURING</b> <b>FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		










COB-KP2-6	3X	COBRA Watertech vandal proof chrome plated single function fixed shower head – including ½ “ BSP male inlet, 10l/min maximum flow restrictor, self-cleaning spray nozzle.		
COB-FSTAC1 SR-0GT01	6X	Cobra - Star - Tap & Mixer Screw Down - Stop Tap - Chrome Notes: With sliding wall flange. 15mm compression connection ends. CP		
SD2070	3X	SERRA soap dish, constructed from dura high quality Stainless steel (BA finish)		
SD 1310.	3X	Serra Rol TR Range or similar approved grade 304 (18/10) stainless steel satin finish lockable 2 roll toilet roll holder Serra Rol TR2 code SD1310. Toilet roll holder either screwed to toilet partition or plugged & screwed to brick wall to position & height as per Room Data Schedules.		
ATLBOX URI0T60 UE	2X	Lecieco – Atlas BS 60 Urinal  Top Entry  Colour : White		


	<b>ELIDZ EB/NW1/10/24/Z1A: MANUFACTURING FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		




FJ6-000	2X	COBRA FJ URINAL VALVE ONLY FJ6-0003/4 CP  FFUUSUFJ-0GT0173  Colour : CH		
FJT5-4	2X	COBRA FJ URINAL PIPE STR 25.4X12X260CP  FFU1PUFJ-0GT0168  Colour : CH		
-	-	<b>Soap dispensers, towel dispensers, sanitary bins, waste bins, etc part of tenant installation..</b>		


OFFICE BLOCK - DRIVERS ABLUTION				
Code	Qty.	Spec	Photo / Example	Price Excl Vat & Mark-Up
RT0208A	2X	BETTA Rapido Low Level Pan wh		
FFUUSB FJ- 0GT0173 /FJ2-100	2X	COBRA - FLUSH JUNIOR TOILET BACK ENTRY - CHROME Product Notes: Junior Flushmaster exposed flush valve, chrome. Includes: back entry, flush pipe, rubber pan connector, wall flange, rubber seat buffer, integral vacuum breaker, and nonhold open feature. SANS 1240.		

	<b>ELIDZ EB/NW1/10/24/Z1A: MANUFACTURING FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		




BET-WCL008 A	1X	Classico wall-hung basin only 605x515mm white. With two tap hole configuration and integrated overflow.  Colour : White		
TGWBR OSE	1X	TG - WASH BASIN OVERFLOW ROSETTE 24mm		
COB-FWACBS 01-0GT01	1X	Cobra - - Waste, Trap & Overflow - Waste Basin - Chrome Notes: Click type. Slotted, with integral plug. 62mm Ã~ flange, 80mm long shank. 1 1/4"BSP Male iron connection end. Colour : CH		
COB - 385-35N	1X	COBRA - WASTE, TRAP OVERFLOW - BOTTLE TRAP - CHROME Product Notes:Re-sealable basin type. With adjustable telescopic waste connection pipe and polymer body. 1 1/4"BSP female inlet connection. 35mm outlet connection with wall flange. Brass body.		
111-15/NV	2X	Cobra Star Heavy Pattern Chrome plated pillar tap including hot & cold indices. The original star-shaped design. Well-suited for use in low water pressure environments. 1/2" BSP male connection ends. Made with de-zincification resistant brass for increased durability.		
232-10/NV	2X	Angle regulating valve with durable ABS handle, DZR body, flow regulating spindle type headpart G1/2 X G1/2 BSP connections.		


	<b>ELIDZ EB/NW1/10/24/Z1A: MANUFACTURING FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		


C-15/350	2X	Flexi Connector Flexible connector, fxf, chrome.		
COB-373	1X	COBRA Watertech shower P-trap rough brass, including shallow seal, chrome plated grating and 1 ½ " female outlet.		
COB-KP2-6	1X	COBRA Watertech vandal proof chrome plated single function fixed shower head – including ½ " BSP male inlet, 10l/min maximum flow restrictor, self-cleaning spray nozzle.		
COB-FSTAC1 SR-0GT01	2X	Cobra - Star - Tap & Mixer Screw Down - Stop Tap - Chrome Notes: With sliding wall flange. 15mm compression connection ends. CP		
SD2070	1X	SERRA soap dish, constructed from dura high quality Stainless steel (BA finish)		
SD 1310.	1X	Serra Rol TR Range or similar approved grade 304 (18/10) stainless steel satin finish lockable 2 roll toilet roll holder Serra Rol TR2 code SD1310. Toilet roll holder either screwed to toilet partition or plugged & screwed to brick wall to position & height as per Room Data Schedules.		





	<b>ELIDZ EB/NW1/10/24/Z1A: MANUFACTURING FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		


-	1X	6mm glass mirror, silver-backed & beveled edge all round, size 900mm high x 450mm wide & pre-drilled in all corners. Mirror to be centred above each wash basin & mounted at height as per Room Data Schedules. Mirror to be plugged & screwed to wall with chrome-plated dome capped screws.		
-	1X	600mm long chrome-plated brass towel rail, complete with wall brackets & to be plugged & screwed to brick wall to position & height as per Room Data Schedules.		
-	-	<b>Soap dispensers, towel dispensers, sanitary bins, waste bins, etc part of tenant installation..</b>		

OFFICE BLOCK - CANTEEN				
Code	Qty.	Spec	Photo / Example	Price Excl Vat & Mark-Up
QLX621-120	1X	FRANKE Quinline 1200 x 500mm double bowl inset sink (bowl size 410 x 343 x 167mm) built into worktop supplied by others. Tiling as per room data sheets and finish schedule. Sink to be fully bedded in water based white sealant neatly cleaned and ensuring a waterproof joint.		
COB-296CA	1X	COBRA Watertech Carina chrome plated one-hole sink mixer with aerated swivel outlet. Includes ½ " BSP female inlets, mounting kit, 2 x ½ " female iron 400mm long flexible inlets. SANS 226 Type 2, DZR brass. Including COB-832-10 angle valves, waste and plug.		
232-10/NV	2X	Angle regulating valve with durable ABS handle, DZR body, flow regulating spindle type headpart G1/2 X G1/2 BSP connections.		


	<b>ELIDZ EB/NW1/10/24/Z1A: MANUFACTURING FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		






C-15/350	2X	Flexi Connector Flexible connector, fxf, chrome.		
----------	----	---	--	--


OFFICE BLOCK - KITCHEN/ETE				
Code	Qty.	Spec	Photo / Example	Price Excl Vat & Mark-Up
QLX621-120	1X	FRANKE Quinline 1200 x 500mm double bowl inset sink (bowl size 410 x 343 x 167mm) built into worktop supplied by others. Tiling as per room data sheets and finish schedule. Sink to be fully bedded in water based white sealant neatly cleaned and ensuring a waterproof joint.		
COB-296CA	1X	COBRA Watertech Carina chrome plated one-hole sink mixer with aerated swivel outlet. Includes 1/2" BSP female inlets, mounting kit, 2 x 1/2" female iron 400mm long flexible inlets. SANS 226 Type 2, DZR brass. Including COB-832-10 angle valves, waste and plug.		
232-10/NV	2X	Angle regulating valve with durable ABS handle, DZR body, flow regulating spindle type headpart G1/2 X G1/2 BSP connections.		
C-15/350	2X	Flexi Connector Flexible connector, fxf, chrome.		

	<b>ELIDZ EB/NW1/10/24/Z1A: MANUFACTURING FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		

OFFICE BLOCK - FEMALE ABLUTION				
Code	Qty.	Spec	Photo / Example	Price Excl Vat & Mark-Up
RT0208A	2X	BETTA Rapido Low Level Pan wh		
FFUUSB FJ- 0GT0173 /FJ2-100	2X	COBRA - FLUSH JUNIOR TOILET BACK ENTRY - CHROME Product Notes: Junior Flushmaster exposed flush valve, chrome. Includes: back entry, flush pipe, rubber pan connector, wall flange, rubber seat buffer, integral vacuum breaker, and nonhold open feature. SANS 1240.		
BET- WCL008 A	2X	Classico wall-hung basin only 605x515mm white. With two tap hole configuration and integrated overflow.  Colour : White		
TGWBR OSE	2X	TG - WASH BASIN OVERFLOW ROSETTE 24mm		
COB- FWACBS 01- 0GT01	2X	Cobra - - Waste, Trap & Overflow - Waste Basin - Chrome Notes: Click type. Slotted, with integral plug. 62mm A~ flange, 80mm long shank. 1 1/4"BSP Male iron connection end. Colour : CH		




	<b>ELIDZ EB/NW1/10/24/Z1A:</b> <b>MANUFACTURING</b> <b>FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		


COB – 385-35N	2X	COBRA - WASTE, TRAP OVERFLOW - BOTTLE TRAP - CHROME Product Notes: Re-sealable basin type. With adjustable telescopic waste connection pipe and polymer body. 1 1/4" BSP female inlet connection. 35mm outlet connection with wall flange. Brass body.		
111-15/NV	4X	Cobra Star Heavy Pattern Chrome plated pillar tap including hot & cold indices. The original star-shaped design. Well-suited for use in low water pressure environments. 1/2" BSP male connection ends. Made with de-zincification resistant brass for increased durability.		
232-10/NV	4X	Angle regulating valve with durable ABS handle, DZR body, flow regulating spindle type headpart G1/2 X G1/2 BSP connections.		
C-15/350	4X	Flexi Connector Flexible connector, fxf, chrome.		
SD 1310.	2X	Serra Rol TR Range or similar approved grade 304 (18/10) stainless steel satin finish lockable 2 roll toilet roll holder Serra Rol TR2 code SD1310. Toilet roll holder either screwed to toilet partition or plugged & screwed to brick wall to position & height as per Room Data Schedules.		
-	2X	6mm glass mirror, silver-backed & beveled edge all round, size 900mm high x 450mm wide & pre-drilled in all corners. Mirror to be centred above each wash basin & mounted at height as		







	<b>ELIDZ EB/NW1/10/24/Z1A:</b> <b>MANUFACTURING</b> <b>FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		








		per Room Data Schedules. Mirror to be plugged & screwed to wall with chrome-plated dome capped screws.		
-	1X	600mm long chrome-plated brass towel rail, complete with wall brackets & to be plugged & screwed to brick wall to position & height as per Room Data Schedules.		
-	-	<b>Soap dispensers, towel dispensers, sanitary bins, waste bins, etc part of tenant installation..</b>		


OFFICE BLOCK - MALE ABLUTION				
Code	Qty.	Spec	Photo / Example	Price Excl Vat & Mark-Up
RT0208A	2X	BETTA Rapido Low Level Pan wh		
FFUUSB FJ- OGT0173 /FJ2-100	2X	COBRA - FLUSH JUNIOR TOILET BACK ENTRY - CHROME Product Notes: Junior Flushmaster exposed flush valve, chrome. Includes: back entry, flush pipe, rubber pan connector, wall flange, rubber seat buffer, integral vacuum breaker, and nonhold open feature. SANS 1240.		
BET- WCL008 A	2X	Classico wall-hung basin only 605x515mm white. With two tap hole configuration and integrated overflow.  Colour : White		


	<b>ELIDZ EB/NW1/10/24/Z1A: MANUFACTURING FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		


TGWBR OSE	2X	TG - WASH BASIN OVERFLOW ROSETTE 24mm		
COB- FWACBS 01- 0GT01	2X	Cobra - - Waste, Trap & Overflow - Waste Basin - Chrome Notes: Click type. Slotted, with integral plug. 62mm ~ flange, 80mm long shank. 1 1/4" BSP Male iron connection end. Colour : CH		
COB - 385-35N	2X	COBRA - WASTE, TRAP OVERFLOW - BOTTLE TRAP - CHROME Product Notes: Re-sealable basin type. With adjustable telescopic waste connection pipe and polymer body. 1 1/4" BSP female inlet connection. 35mm outlet connection with wall flange. Brass body.		
111- 15/NV	4X	Cobra Star Heavy Pattern Chrome plated pillar tap including hot & cold indices. The original star-shaped design. Well-suited for use in low water pressure environments. 1/2" BSP male connection ends. Made with de- zincification resistant brass for increased durability.		
232- 10/NV	4X	Angle regulating valve with durable ABS handle, DZR body, flow regulating spindle type headpart G1/2 X G1/2 BSP connections.		
C-15/350	4X	Flexi Connector Flexible connector, fxf, chrome.		





	<b>ELIDZ EB/NW1/10/24/Z1A:</b> <b>MANUFACTURING</b> <b>FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		


SD 1310.	2X	Serra Rol TR Range or similar approved grade 304 (18/10) stainless steel satin finish lockable 2 roll toilet roll holder Serra Rol TR2 code SD1310. Toilet roll holder either screwed to toilet partition or plugged & screwed to brick wall to position & height as per Room Data Schedules.		
ATLBOX URI0T60 UE	1X	Lecieco – Atlas BS 60 Urinal  Top Entry  Colour : White		
FJ6-000	1X	COBRA FJ URINAL VALVE ONLY FJ6-0003/4 CP  FFUUSUFJ-0GT0173  Colour : CH		
FJT5-4	1X	COBRA FJ URINAL PIPE STR 25.4X12X260CP  FFU1PUFJ-0GT0168  Colour : CH		
-	-	<b>Soap dispensers, towel dispensers, sanitary bins, waste bins, etc part of tenant installation..</b>		

	<b>ELIDZ EB/NW1/10/24/Z1A: MANUFACTURING FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		





RECEIVING ADMIN BLOCK - UNIVERSAL/FEMALE TOILET				
Code	Qty.	Spec	Photo / Example	Price Excl Vat & Mark-Up
PARPAN CCF0000 UE / PARCISS FLONOM UE / DUTMEC PAROCC MUS	1X	Atlas Paraplegic Assisted Mobility Close-Couple WC Set (Side Flush, Raised Height)		
BET- WCL008 A	1X	Classico wall-hung basin only 605x515mm white. With two tap hole configuration and integrated overflow.  Colour : White		
TGWBR OSE	1X	TG - WASH BASIN OVERFLOW ROSETTE 24mm		
COB – 385-35N	1X	COBRA - WASTE, TRAP OVERFLOW - BOTTLE TRAP - CHROME Product Notes:Re-sealable basin type. With adjustable telescopic waste connection pipe and polymer body. 1 1/4"BSP female inlet connection. 35mm outlet connection with wall flange. Brass body.		
111- 15/NV	2X	Cobra Star Heavy Pattern Chrome plated pillar tap including hot & cold indices. The original star-shaped design. Well-suited for use in low water pressure environments. 1/2" BSP male connection ends. Made with de- zincification resistant brass for increased durability.		


	<b>ELIDZ EB/NW1/10/24/Z1A: MANUFACTURING FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		







COB-FWACBS 01-0GT01	1X	Cobra - - Waste, Trap & Overflow - Waste Basin - Chrome Notes: Click type. Slotted, with integral plug. 62mm A~ flange, 80mm long shank. 1 1/4"BSP Male iron connection end. Colour : CH		
232-10/NV	2X	Angle regulating valve with durable ABS handle, DZR body, flow regulating spindle type headpart G1/2 X G1/2 BSP connections.		
C-15/350	2X	Flexi Connector Flexible connector, fxf, chrome.		
-	1X	6mm glass mirror, silver-backed & beveled edge all round, size 900mm high x 450mm wide & pre-drilled in all corners. Mirror to be centred above each wash basin & mounted at height as per Room Data Schedules. Mirror to be plugged & screwed to wall with chrome-plated dome capped screws.		
SD 1310.	1X	Serra Rol TR Range or similar approved grade 304 (18/10) stainless steel satin finish lockable 2 roll toilet roll holder Serra Rol TR2 code SD1310. Toilet roll holder either screwed to toilet partition or plugged & screwed to brick wall to position & height as per Room Data Schedules.		
-	1X	600mm long chrome-plated brass towel rail, complete with wall brackets & to be plugged & screwed to brick wall to position & height as per Room Data Schedules.		
-	-	<b>Soap dispensers, towel dispensers, sanitary bins, waste</b>		


	<b>ELIDZ EB/NW1/10/24/Z1A: MANUFACTURING FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		

		bins, etc part of tenant installation..		
--	--	---	--	--

RECEIVING ADMIN BLOCK MALE TOILET				
Code	Qty.	Spec	Photo / Example	Price Excl Vat & Mark-Up
RT0208A	1X	BETTA Rapido Low Level Pan wh		
FFUUSB FJ- 0GT0173 /FJ2-100	1X	COBRA - FLUSH JUNIOR TOILET BACK ENTRY - CHROME Product Notes: Junior Flushmaster exposed flush valve, chrome. Includes: back entry, flush pipe, rubber pan connector, wall flange, rubber seat buffer, integral vacuum breaker, and nonhold open feature. SANS 1240.		
BET- WCL008 A	1X	Classico wall-hung basin only 605x515mm white. With two tap hole configuration and integrated overflow.  Colour : White		
TGWBR OSE	1X	TG - WASH BASIN OVERFLOW ROSETTE 24mm		


	<b>ELIDZ EB/NW1/10/24/Z1A: MANUFACTURING FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		

COB-FWACBS 01- OGT01	1X	Cobra - - Waste, Trap & Overflow - Waste Basin - Chrome Notes: Click type. Slotted, with integral plug. 62mm A~ flange, 80mm long shank. 1 1/4"BSP Male iron connection end. Colour : CH		
COB – 385-35N	1X	COBRA - WASTE, TRAP OVERFLOW - BOTTLE TRAP - CHROME Product Notes:Re-sealable basin type. With adjustable telescopic waste connection pipe and polymer body. 1 1/4"BSP female inlet connection. 35mm outlet connection with wall flange. Brass body.		
111-15/NV	2X	Cobra Star Heavy Pattern Chrome plated pillar tap including hot & cold indices. The original star-shaped design. Well-suited for use in low water pressure environments. 1/2" BSP male connection ends. Made with de-zincification resistant brass for increased durability.		
232-10/NV	2X	Angle regulating valve with durable ABS handle, DZR body, flow regulating spindle type headpart G1/2 X G1/2 BSP connections.		
C-15/350	2X	Flexi Connector Flexible connector, fxf, chrome.		
SD 1310.	1X	Serra Rol TR Range or similar approved grade 304 (18/10) stainless steel satin finish lockable 2 roll toilet roll holder Serra Rol TR2 code SD1310. Toilet roll holder either screwed to toilet partition or plugged & screwed to brick wall to position & height as per Room Data Schedules.		







	<b>ELIDZ EB/NW1/10/24/Z1A: MANUFACTURING FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		


-	-	Soap dispensers, towel dispensers, sanitary bins, waste bins, etc part of tenant installation..		
---	---	---	--	--





GOODS RECEIVING ADMIN DRIVERS ABLUTION				
Code	Qty.	Spec	Photo / Example	Price Excl Vat & Mark-Up
RT0208A	2X	BETTA Rapido Low Level Pan wh		
FFUUSB FJ- OGT0173 /FJ2-100	2X	COBRA - FLUSH JUNIOR TOILET BACK ENTRY - CHROME Product Notes: Junior Flushmaster exposed flush valve, chrome. Includes: back entry, flush pipe, rubber pan connector, wall flange, rubber seat buffer, integral vacuum breaker, and nonhold open feature. SANS 1240.		
BET- WCL008 A	1X	Classico wall-hung basin only 605x515mm white. With two tap hole configuration and integrated overflow.  Colour : White		
TGWBR OSE	1X	TG - WASH BASIN OVERFLOW ROSETTE 24mm		


	<b>ELIDZ EB/NW1/10/24/Z1A: MANUFACTURING FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		








COB-FWACBS 01-0GT01	1X	Cobra - - Waste, Trap & Overflow - Waste Basin - Chrome Notes: Click type. Slotted, with integral plug. 62mm A~ flange, 80mm long shank. 1 1/4"BSP Male iron connection end. Colour : CH		
COB – 385-35N	1X	COBRA - WASTE, TRAP OVERFLOW - BOTTLE TRAP - CHROME Product Notes:Re-sealable basin type. With adjustable telescopic waste connection pipe and polymer body. 1 1/4"BSP female inlet connection. 35mm outlet connection with wall flange. Brass body.		
111-15/NV	2X	Cobra Star Heavy Pattern Chrome plated pillar tap including hot & cold indices. The original star-shaped design. Well-suited for use in low water pressure environments. 1/2" BSP male connection ends. Made with de-zincification resistant brass for increased durability.		
232-10/NV	2X	Angle regulating valve with durable ABS handle, DZR body, flow regulating spindle type headpart G1/2 X G1/2 BSP connections.		
C-15/350	2X	Flexi Connector Flexible connector, fxf, chrome.		
COB-373	1X	COBRA Watertech shower P-trap rough brass, including shallow seal, chrome plated grating and 1 1/2 " female outlet.		


	<b>ELIDZ EB/NW1/10/24/Z1A: MANUFACTURING FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		

COB-KP2-6	1X	COBRA Watertech vandal proof chrome plated single function fixed shower head – including ½ “ BSP male inlet, 10l/min maximum flow restrictor, self-cleaning spray nozzle.		
COB-FSTAC1 SR-0GT01	2X	Cobra - Star - Tap & Mixer Screw Down - Stop Tap - Chrome Notes: With sliding wall flange. 15mm compression connection ends. CP		
SD2070	1X	SERRA soap dish, constructed from dura high quality Stainless steel (BA finish)		
SD 1310.	1X	Serra Rol TR Range or similar approved grade 304 (18/10) stainless steel satin finish lockable 2 roll toilet roll holder Serra Rol TR2 code SD1310. Toilet roll holder either screwed to toilet partition or plugged & screwed to brick wall to position & height as per Room Data Schedules.		
-	1X	6mm glass mirror, silver-backed & beveled edge all round, size 900mm high x 450mm wide & pre-drilled in all corners. Mirror to be centred above each wash basin & mounted at height as per Room Data Schedules. Mirror to be plugged & screwed to wall with chrome-plated dome capped screws.		
-	1X	600mm long chrome-plated brass towel rail, complete with wall brackets & to be plugged & screwed to brick wall to position & height as per Room Data Schedules.		
-	-	<b>Soap dispensers, towel dispensers, sanitary bins, waste</b>		


	<b>ELIDZ EB/NW1/10/24/Z1A: MANUFACTURING FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		





		bins, etc part of tenant installation..		
--	--	---	--	--


GUARD HUT				
Code	Qty.	Spec	Photo / Example	Price Excl Vat & Mark-Up
QLX611	1X	FRANKE Quinline 900 x 500mm double bowl inset sink (bowl size 410 x 343 x 167mm) built into worktop supplied by others. Tiling as per room data sheets and finish schedule. Sink to be fully bedded in water based white sealant neatly cleaned and ensuring a waterproof joint.		
COB-296CA	1X	COBRA Watertech Carina chrome plated one-hole sink mixer with aerated swivel outlet. Includes 1/2 " BSP female inlets, mounting kit, 2 x 1/2 " female iron 400mm long flexible inlets. SANS 226 Type 2, DZR brass. Including COB-832-10 angle valves, waste and plug.		
232-10/NV	2X	Angle regulating valve with durable ABS handle, DZR body, flow regulating spindle type headpart G1/2 X G1/2 BSP connections.		
C-15/350	2X	Flexi Connector Flexible connector, fxf, chrome.		
RT0208A	1X	BETTA Rapido Low Level Pan wh		

	<b>ELIDZ EB/NW1/10/24/Z1A:</b> <b>MANUFACTURING</b> <b>FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		



FJ2-100	1X	<p>COBRA FJ toilet back entry FJ2-1003/4 CP</p> <p>FFUUSBFJ-0GT0173</p> <p>Colour : CH</p>		
BET-WCL008 A	1X	<p>Classico wall-hung basin only 605x515mm white. With two tap hole configuration and integrated overflow.</p> <p>Colour : White</p>		
TGWBR OSE	1X	<p>TG - WASH BASIN OVERFLOW ROSETTE</p> <p>24mm</p>		
COB-FWACBS 01-0GT01	1X	<p>Cobra - - Waste, Trap &amp; Overflow - Waste Basin - Chrome</p> <p>Notes: Click type. Slotted, with integral plug. 62mm A~ flange, 80mm long shank. 1 1/4"BSP Male iron connection end.</p> <p>Colour : CH</p>		
COB - 385-35N	1X	<p>COBRA - WASTE, TRAP OVERFLOW - BOTTLE TRAP - CHROME</p> <p>Product Notes:Re-sealable basin type. With adjustable telescopic waste connection pipe and polymer body. 1 1/4"BSP female inlet connection. 35mm outlet connection with wall flange. Brass body.</p>		


	<p><b>ELIDZ EB/NW1/10/24/Z1A:</b></p> <p><b>MANUFACTURING</b></p> <p><b>FACILITY IN ZONE 1A</b></p>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		

111-15/NV	2X	Cobra Star Heavy Pattern Chrome plated pillar tap including hot & cold indices. The original star-shaped design. Well-suited for use in low water pressure environments. 1/2" BSP male connection ends. Made with de-zincification resistant brass for increased durability.		
232-10/NV	2X	Angle regulating valve with durable ABS handle, DZR body, flow regulating spindle type headpart G1/2 X G1/2 BSP connections.		
C-15/350	2X	Flexi Connector Flexible connector, fxf, chrome.		
-	1X	6mm glass mirror, silver-backed & beveled edge all round, size 900mm high x 450mm wide & pre-drilled in all corners. Mirror to be centred above each wash basin & mounted at height as per Room Data Schedules. Mirror to be plugged & screwed to wall with chrome-plated dome capped screws.		
SD 1310.	1X	Serra Rol TR Range or similar approved grade 304 (18/10) stainless steel satin finish lockable 2 roll toilet roll holder Serra Rol TR2 code SD1310. Toilet roll holder either screwed to toilet partition or plugged & screwed to brick wall to position & height as per Room Data Schedules.		
-	1X	600mm long chrome-plated brass towel rail, complete with wall brackets & to be plugged & screwed to brick wall to position & height as per Room Data Schedules.		
-	-	<b>Soap dispensers, towel dispensers, sanitary bins, waste</b>		

	<b>ELIDZ EB/NW1/10/24/Z1A: MANUFACTURING FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		

		bins, etc part of tenant installation..		
--	--	---	--	--

REFUSE ROOM				
Code	Qty.	Spec	Photo / Example	Price Excl Vat & Mark-Up
108-15	1X	COBRA RB HOSE BIBTAP HP 108 ½  FBBHN1CR-7FT0048  .Colour : BR		
D-33XS-15	1X	COBRA COMP WP ELBOW 90 33XS CXFI 15MM RB * FCOM1E15-7FT0155  Colour : BR		

	<b>ELIDZ EB/NW1/10/24/Z1A: MANUFACTURING FACILITY IN ZONE 1A</b>	<b>FINISHES</b>	Drawing N°.	Rev.
		SANITARY SCHEDULE	0077-600	-
		WITH PHOTOS / EXAMPLES		