




5 SF6
1 : 20




1 SF7
1 : 20



2 SF8
1 : 25



3 SF9
1 : 25



4 SF10
1 : 25

GENERAL NOTES TO CONTRACTOR

- 1.) All aluminum glazed doors, windows, curtain walls and louvred doors and panels that are purpose / custom made are to be manufactured as per manufacturers specifications all in accordance with AAMSA, SAGA, NBR and SABS regulations.
- 2.) Aluminum frames are not to be built in but must be installed in opening prepared by the contractor.
- 3.) The contractor is to inform the aluminum manufacturer as to when the openings are ready for measurement - All dimensions to be checked and verified on site prior to commencement of manufacture.
- 4.) As far as possible all glazed aluminum doors and windows to be factory glazed and wrapped in protective plastic.
- 5.) After installation the contractor is to take all necessary measures to protect the aluminum units from any on site damage including scratched glass and mortar stained aluminum frames. Any and all damaged units will be replaced at the contractors cost.
- 6.) Curtain wall design to be as per AGI Sheerline design endorsed by AGI Solutions (Pty) Ltd.
- 7.) All glazing to be in strict accordance with SAGA regulations and illustrate the appropriate mark to confirm type of glass used, i.e. toughened glass.

Supplied per cylinder

- 3 keys are supplied with every cylinder
- 3 master keys per factory
- NO CGMK Keys are to be ordered or supplied

All Keys to be Labelled/Tagged **SEPARTELY** and include the following e.g.

- Door No. - "D001"
- Description: - "Workshop Entrance"
- Key No. -

NOTE: ALL DIMENSIONS TO BE CHECKED ON SITE BEFORE ANY WORK IS PUT TO HAND REFER TO PLAN FOR SWING DIRECTION

NOTE:
Do not scale from this drawing. Check all given dimensions and site dimensions and/or levels prior to any pricing, manufacturing or construction of any item. Greater detail drawings take preference. Please report any discrepancies to the Architect.


The copyright for the design and information on this drawing is vested and may not be copied or reproduced without the written authority of the Architects.

Contractor:

Tel:
Fax:
Email:

PROFESSIONAL TEAM

Project Managers :



Engineering Advice & Services

73 Hough Rd, Walmer
Ophelia, 6070
Tel: 041 591 2421
Cell: 082 781 9976
Email: marcus@saape.co.za
Web: www.saape.co.za

Architect :



S+P Architects

123 Western Av, Vincent,
East London, 5247
Tel: +27 43 726 9327
Fax: +27 86 5406 155
Email: info@smale.co.za
Web: www.smale.co.za

Quantity Surveyors:



Pulana Baxter & Associates Quantity Surveyors & Project Managers

30 Chamberlain Road, Berea,
East London, 5200
Postnet Suite 52, P.O. Box 432, East
London, 5200

Tel: +27 43 721 0884
Email: info@pba.co.za/mark@pba.co.za
Web: www.pba.co.za/

Civil Engineers :



HSC CONSULTING STRUCTURAL AND CIVIL ENGINEERS

25 Schultz Rd, Bonnie Doon, East
London, 5200
Tel: +27 43 743 9228
Fax: +27 43 743 5347
Email: andrew@hsc.co.za
Web: www.hsc.co.za

Structural Engineers:



HSC CONSULTING STRUCTURAL AND CIVIL ENGINEERS

25 Schultz Rd, Bonnie Doon, East
London, 5200
Tel: +27 43 743 9228
Fax: +27 43 743 5347
Email: andrew@hsc.co.za
Web: www.hsc.co.za

Electrical Engineers:

Tel:
Fax:
Email:

Mechanical Engineers :

Tel:
Fax:
Email:

Client:



EAST LONDON IDZ

P.O. Box 5458, Greenfields
East London, 5206
Lower Chester Road
Sunnyridge, East London, 5201
Tel: +27 43 702 8200
Fax: +27 43 738 9405
Email: info@eldz.co.za

Rev | Rev Description | Rev Date | By | To

Revision Schedule

TENDER

Email:
info@smale.co.za

Tel:
043 726 9327

Fax:
086 540 6155

Address:
123 Western Ave,
Vincent,
East London, 5247



www.smale.co.za

EB/NW/10/24/Z1A

Project Name

Project Address: **ELIDZ
Zone A1
NW1**

Client: **ELIDZ**

Shopfront Schedule 2

Drawing Title

Author
Drawn By

Approver
Approved By

05/12/25
Issued Date

Checker
Checked By

7513
SACAP No.

As indicated
Scale

0077
Project No.

TEN
Work Stage

A304
Drawing No.

Revision

Shopfront Schedule

Type Mark	Frame / Jamb	Frame / Jamb Finish	Glass	Ironmongery
SF6	SHEERLINE VISTAWALL (curtainwall system)	Surface to receive 25µm Natural anodised coating, supplied by manufacturer complying with SANS 999:2013	6.35mm GSA SmartGlass™ Intruderprufe®NS Clear laminated safety glass, complying with SANS 1263 Part 1, 2 or 3 with name of the manufacturer permanently marked on each sheet visible after glazing, glazed in accordance with NBR N schedule 1 and SABS 0137.	As supplied by manufacturer
SF7	SHEERLINE VISTAWALL (curtainwall system)	Surface to receive 25µm Natural anodised coating, supplied by manufacturer complying with SANS 999:2013	6.35mm GSA SmartGlass™ Intruderprufe®NS Clear laminated safety glass, complying with SANS 1263 Part 1, 2 or 3 with name of the manufacturer permanently marked on each sheet visible after glazing, glazed in accordance with NBR N schedule 1 and SABS 0137.	As supplied by manufacturer
SF8	SHEERLINE VISTAWALL (curtainwall system)	Surface to receive 25µm Natural anodised coating, supplied by manufacturer complying with SANS 999:2013	PG SmartGlass® ColourVue™ Cool Grey normal strength coloured laminated safety glass, complying with SANS 1263 Part 1 with name of the manufacturer permanently marked on each sheet visible after glazing, glazed in accordance with NBR N schedule 1 and SABS 0137.	As supplied by manufacturer
SF9	SHEERLINE VISTAWALL (curtainwall system)	Surface to receive 25µm Natural anodised coating, supplied by manufacturer complying with SANS 999:2013	PG SmartGlass® ColourVue™ Cool Grey normal strength coloured laminated safety glass, complying with SANS 1263 Part 1 with name of the manufacturer permanently marked on each sheet visible after glazing, glazed in accordance with NBR N schedule 1 and SABS 0137.	As supplied by manufacturer
SF10	SHEERLINE VISTAWALL (curtainwall system)	Surface to receive 25µm Natural anodised coating, supplied by manufacturer complying with SANS 999:2013	PG SmartGlass® ColourVue™ Cool Grey normal strength coloured laminated safety glass, complying with SANS 1263 Part 1 with name of the manufacturer permanently marked on each sheet visible after glazing, glazed in accordance with NBR N schedule 1 and SABS 0137.	As supplied by manufacturer