

Control List



PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

Door Number	Hardware Set	Area	Location	Door Type	Handing	GGMK	Door Material	Security Control
D!	00	ALL AREAS						
D05	01	GROUND/OFFICE	WC	B	SA		TIMBER	
D06	01	GROUND/OFFICE	WC	B	SA		TIMBER	
D07	01	GROUND/OFFICE	WC	B	SA		TIMBER	
D10	01	GROUND/OFFICE	WC	B	SA		TIMBER	
D11	01	GROUND/OFFICE	WC	B	SA		TIMBER	
D12	01	GROUND/OFFICE	WC	B	SA		TIMBER	
D08	02	GROUND/OFFICE	MALE CHANGE	C	SA - OUTWARD	Y	TIMBER	
D09	03	GROUND/OFFICE	FEMALE CHANGE	C	SA - OUTWARD	Y	TIMBER	
D23	04	GROUND/OFFICE	STORE ROOM	D	SA	Y	TIMBER	
D20	05	GROUND/OFFICE	ASSIST ABL	J	SA - OUTWARD		TIMBER	
SF2/01	07	GROUND/OFFICE	CLOCK CARDS ROOM	SF2	SA - OUTWARD	Y	ALUMINIUM	
D02	06	GROUND/OFFICE	DRIVERS ABL M/F	A	SA - OUTWARD	Y	TIMBER	
D15	08	GROUND/OFFICE	RECEPTION LOBBY	F	SA DD	Y	ALUMINIUM	Y - STRIKE
SF1/14	08	GROUND/OFFICE	RECEPTION LOBBY	SF1	SA DD	Y	ALUMINIUM	Y - STRIKE
D22	09	GROUND/OFFICE	GREEN ROOM	F	SA DD	Y	ALUMINIUM QUERY DOOR SCHEDULE	
D21	04	GROUND/OFFICE	GREEN ROOM	K	SA	Y	TIMBER	
D73	10	GROUND/OFFICE	DUCT	E	SA	Y	GMS	
D37	10	GROUND/OFFICE	DUCT	E	SA	Y	GMS	
D19	10	GROUND/OFFICE	DUCT	I	SA	Y	GMS	
D18	11	GROUND/OFFICE	FHR CUPB	H	SA DD		ALUMINIUM	
D16	12	GROUND/OFFICE	SERVICES	G	SA		ALUMINIUM	
D17	12	GROUND/OFFICE	SERVICES	G	SA	Y	ALUMINIUM	
D13	04	GROUND/OFFICE	SERVER ROOM	D	SA - OUTWARD	Y	TIMBER	
D24	13	GROUND/OFFICE	FIRE ESCAPE/ENTRANCE	L	SA	Y	TIMBER	
D54	01	FIRST/OFFICE	WC	B	SA		TIMBER	
D55	01	FIRST/OFFICE	WC	B	SA		TIMBER	
D57	01	FIRST/OFFICE	WC	B	SA		TIMBER	
D58	01	FIRST/OFFICE	WC	B	SA		TIMBER	
SF4/64	14	FIRST/OFFICE	OFFICE 1	SF4	SA	Y	ALUMINIUM	
SF4/65	14	FIRST/OFFICE	OFFICE 2	SF4	SA	Y	ALUMINIUM	
SF3/59	14	FIRST/OFFICE	BOARDROOM	SF3	SA	Y	ALUMINIUM	
D66	15	FIRST/OFFICE	FIRE ESCAPE	K	SA		TIMBER	
D62	12	FIRST/OFFICE	SERVICES	G	SA	Y	ALUMINIUM	

Control List

PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

Door Number	Hardware Set	Area	Location	Door Type	Handing	GGMK	Door Material	Security Control
D63	12	FIRST/OFFICE	SERVICES	G	SA	Y	ALUMINIUM	
SF6/60	14	FIRST/OFFICE	KITCHENETTE	SF6	SA	Y	ALUMINIUM	
D52	16	FIRST/OFFICE	BALCONY	M	SA	Y	ALUMINIUM	
D56	18	FIRST/OFFICE	FEMALE ABL	C	SA		TIMBER	
D53	17	FIRST/OFFICE	MALE ABL	C	SA		TIMBER	
D61	11	FIRST/OFFICE	FHR CUPB	G	SA DD		ALUMINIUM	
D47	19	FACTORY	FIRE ESCAPE	N	SA		TIMBER	
D48	19	FACTORY	FIRE ESCAPE	N	SA		TIMBER	
D43	19	FACTORY	FIRE ESCAPE	N	SA		TIMBER	
D42	19	FACTORY	FIRE ESCAPE	N	SA		TIMBER	
D33	19	FACTORY	FIRE ESCAPE	N	SA		TIMBER	
D28	19	FACTORY	FIRE ESCAPE	N	SA		TIMBER	
D27	19	FACTORY	FIRE ESCAPE	N	SA		TIMBER	
D26	19	FACTORY	FIRE ESCAPE	N	SA		TIMBER	
D25	19	FACTORY	FIRE ESCAPE	N	SA		TIMBER	
D34	04	RECEIVING ADMIN	RA-OPEN PLAN OFFICE	A	SA	Y	TIMBER	
D35	04	RECEIVING ADMIN	RA-OPEN PLAN OFFICE	A	SA	Y	TIMBER	
D36	06	RECEIVING ADMIN	DRIVERS ABL M/F	A	SA	Y	TIMBER	
D39	17	RECEIVING ADMIN	RA-MALE ABL	C	SA		TIMBER	
D40	20	RECEIVING ADMIN	RA-ASSIST/FEMALE ABL	J	SA		TIMBER	
D41	21	RECEIVING ADMIN	DUCT	P	SA DD	Y	ALUMINIUM	
SF8	22	GUARDHOUSE	GUARDHOUSE	SF8	SA	Y	ALUMINIUM	
SF10	22	GUARDHOUSE	GUARDHOUSE	SF10	SA	Y	ALUMINIUM	
D72	23	GUARDHOUSE	WC	C	SA		TIMBER	
D70	21	PUMP HOUSE	PUMP HOUSE	P	SA DD	Y	ALUMINIUM	
D76	24	REFUSE ROOM	REFUSE ROOM	N	SA	Y	TIMBER	

HARDWARE PER SET

PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

HARDWARE FOR SET:		00		
Hardware Set Quantity :		1		
Notes				
Doors (1)		D!		
Product Code	Description	Finish	Qty	Units
GGMK	<p>GGMK Cylinders To Form Part Of Masterkey system For the EL IDZ. All Cylinders And Padlocks To Be Supplied Under The Commercial Building Master "GGMK" As Per Attached Key Control. (ELIDZ/GCP/New Building. Sample To Be Provided Of Code Stamped On The Cylinder And Keys.To Simplify i.e. ELISZ/GCP/e.g. HS1 001, 002 etc And Approved By Gary. ELIDZ Will Require That 7 Extra Cylinders (Per Building) Be Supplied Under The Contract And These To Be Kept As Spare cylinders In the ELIDZ Key Control Room. 2 x KK - key both sides of cylinder. 3 x K/KB - key one side with knob turn on the other side. 2 x half cylinder is key one side only.</p> <p>Labelling:</p> <p>All Keys To Be Labelled/Tagged Separately And Include The Following:</p> <p>Door number - "D 001" Description - "Workshop Entrance" Key Number - "ELIDZ/GCP/HS1 001"</p> <p>3 Keys To Be Supplied Per cylinder. 2 x For Tenant. 1 x For Key Room/Cabinet.</p>	Satin Nickel	2	Each

HARDWARE PER SET



PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

HARDWARE FOR SET:	01			
Hardware Set Quantity :	1			
Notes	Male/Female Screws To Be Used To Fix Cylinder Escutcheons As Per ELIDZ Requirements.			
Doors (10)	D05, D06, D07, D10, D11, D12, D54, D55, D57, D58			
Product Code	Description	Finish	Qty	Units
DBB-SS-009	dormakaba 102x75x3mm, EN1935 Grade 13, Two ball bearing butt hinge. Fire rated. 120kg Carrying capacity per pair. Finish: Stainless Steel	Stainless Steel	1	Pair
CR003 Latch S.S	dormakaba Lever handle on rose - Latch	Stainless Steel	1	Set
D035S SS	dormakaba Bathroom Sash Lock. Case dimensions (mm) 102H x 78D. Forend dimensions (mm) 155H x 22W. Backset 57mm. Centres 57mm.	Stainless Steel	1	Each
DWC-005	dormakaba Bathroom WC indicator (Red and White) and turnknob	Stainless Steel	1	Set
DHC-SS-031B	dormakaba Hat and Coat Hook with rubber buffer	Stainless Steel	1	Each
Fixing Screws	dormakaba M4 Patent Male / Female fixing screw pack (2 pairs per pack)	Stainless Steel	1	Pack
DKP-430-SF 250	dormakaba 250x(width of door)x1.2mm thick Grade 430 stainless steel kick plate. Stainless Steel Kick Plate to have 10 countersunk holes for screw fixing. (List price calculated on 813mm wide door)	430 Brushed Stainless Steel	1	Each

HARDWARE PER SET



PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

HARDWARE FOR SET:	02			
Hardware Set Quantity :	1			
Notes	Pull Handles Mounted A Minimum Of 70mm From Leading Edge Of Door Doorcloser Fitted To Inside, Parallel Arm Fixing. Male/Female Screws To Be Used To Fix Cylinder Escutcheons As Per ELIDZ Requirements.			
Doors (1)	D08			
Product Code	Description	Finish	Qty	Units
DBB-SS-009	dormakaba 102x75x3mm, EN1935 Grade 13, Two ball bearing butt hinge. Fire rated. 120kg Carrying capacity per pair. Finish: Stainless Steel	Stainless Steel	1.5	Pair
TS73V PA - SL	dormakaba EN 1-4 Rack and pinion door closer with standard NON HOLD OPEN scissor arm and parallel arm bracket. EN1154, certified to ISO 9001. Hydraulic speed control and backcheck. Standard push side fixing. EN 1 suitable for door width <850mm, EN2 suitable for door width 750-850mm, EN3 suitable for door width 850-950mm, EN4 suitable for door width 950-1100mm. Fire rated. Approved to AS1905 Part 1.	Silver	1	Each
DPH209 BTB	dormakaba 200x22mm Straight Tubular Pull Handle BTB (BTB Fixing Sets included)	Stainless Steel	1	Pair
D037D SS	dormakaba Cylinder Deadlock. Case dimensions (mm) 116.5H x 78D. Forend dimensions (mm) 168H x 22W. Backset 57mm.	Stainless Steel	1	Each
CISA	CISA 65mm NP GGMK Knob Cylinder.		1	Each
DCE-002 S.S	dormakaba Round Cylinder escutcheon	Stainless Steel	1	Pair
DSS-130 M	dormakaba 150x150mm MALE sign	Stainless Steel	1	Each
DDH-SS-020	dormakaba Wall Buffer	Stainless Steel	1	Each
Fixing Screws	dormakaba M4 Patent Male / Female fixing screw pack (2 pairs per pack)	Stainless Steel	3	Pack

HARDWARE PER SET



PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

HARDWARE FOR SET:	03			
Hardware Set Quantity :	1			
Notes	Pull Handles Mounted A Minimum Of 70mm From Leading Edge Of Door Doorcloser Fitted To Inside, Parallel Arm Fixing. Male/Female Screws To Be Used To Fix Cylinder Escutcheons As Per ELIDZ Requirements.			
Doors (1)	D09			
Product Code	Description	Finish	Qty	Units
DBB-SS-009	dormakaba 102x75x3mm, EN1935 Grade 13, Two ball bearing butt hinge. Fire rated. 120kg Carrying capacity per pair. Finish: Stainless Steel	Stainless Steel	1.5	Pair
TS73V PA - SL	dormakaba EN 1-4 Rack and pinion door closer with standard NON HOLD OPEN scissor arm and parallel arm bracket. EN1154, certified to ISO 9001. Hydraulic speed control and backcheck. Standard push side fixing. EN 1 suitable for door width <850mm, EN2 suitable for door width 750-850mm, EN3 suitable for door width 850-950mm, EN4 suitable for door width 950-1100mm. Fire rated. Approved to AS1905 Part 1.	Silver	1	Each
DPH209 BTB	dormakaba 200x22mm Straight Tubular Pull Handle BTB (BTB Fixing Sets included)	Stainless Steel	1	Pair
D037D SS	dormakaba Cylinder Deadlock. Case dimensions (mm) 116.5H x 78D. Forend dimensions (mm) 168H x 22W. Backset 57mm.	Stainless Steel	1	Each
CISA	CISA 65mm NP GGMK Knob Cylinder.		2	Each
DCE-002 S.S	dormakaba Round Cylinder escutcheon	Stainless Steel	1	Pair
DSS-131 F	dormakaba 150x150mm FEMALE sign	Stainless Steel	1	Each
DDH-SS-020	dormakaba Wall Buffer	Stainless Steel	1	Each
Fixing Screws	dormakaba M4 Patent Male / Female fixing screw pack (2 pairs per pack)	Stainless Steel	1	Pack

HARDWARE PER SET



PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

HARDWARE FOR SET:	04			
Hardware Set Quantity :	1			
Notes	Male/Female Screws To Be Used To Fix Cylinder Escutcheons As Per ELIDZ Requirements.			
Doors (5)	D23, D21, D13, D34, D35			
Product Code	Description	Finish	Qty	Units
CISA	CISA 65mm NP GGMK Knob Cylinder.		1	Each
DBB-SS-009	dormakaba 102x75x3mm, EN1935 Grade 13, Two ball bearing butt hinge. Fire rated. 120kg Carrying capacity per pair. Finish: Stainless Steel	Stainless Steel	1.5	Pair
Fixing Screws	dormakaba M4 Patent Male / Female fixing screw pack (2 pairs per pack)	Stainless Steel	1	Pack
CR003 Latch S.S	dormakaba Lever handle on rose - Latch	Stainless Steel	1	Set
D036S SS	dormakaba Cylinder Sash Lock. Case dimensions (mm) 116.5H x 78D. Forend dimensions (mm) 168H x 22W. Backset 57mm. Centres 61mm.	Stainless Steel	1	Each
DCE-002 S.S	dormakaba Round Cylinder escutcheon	Stainless Steel	1	Pair
DDS-SS-017	dormakaba Floor Mounted Door Stop	Stainless Steel	1	Each

HARDWARE PER SET



PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

HARDWARE FOR SET:	05			
Hardware Set Quantity :	1			
Notes	Doorcloser Fitted To Inside, Parallel Arm Fixing. Escutcheon Cover Plates To Be Epoxy Glued. Pull Handles Mounted As Per Disabled SANS Regulations. Male/Female Screws To Be Used To Fix Cylinder Escutcheons As Per ELIDZ Requirements.			
Doors (1)	D20			
Product Code	Description	Finish	Qty	Units
DBB-SS-009	dormakaba 102x75x3mm, EN1935 Grade 13, Two ball bearing butt hinge. Fire rated. 120kg Carrying capacity per pair. Finish: Stainless Steel	Stainless Steel	1.5	Pair
TS73V DC PA - SL	dormakaba EN 1-4 Rack and pinion door closer with standard NON HOLD OPEN scissor arm and parallel arm bracket. EN1154, certified to ISO 9001. Hydraulic speed control, backcheck and DELAYED ACTION. Standard push side fixing. EN 1 suitable for door width <850mm, EN2 suitable for door width 750-850mm, EN3 suitable for door width 850-950mm, EN4 suitable for door width 950-1100mm. Fire rated. Approved to AS1905 Part 1.	Silver	1	Set
DPH301B	dormakaba 325x25mm Straight Tubular Pull Handle Flange Fixing	Stainless Steel	1	Each
DMWC-SS-008	dormakaba Bathroom Deadlock. Case dimensions (mm) 38H x 76D. Forend dimensions (mm) 78H x 22.5W. Backset 55mm.	Stainless Steel	1	Each
DWC-006	dormakaba Disabled WC indicator (Red & White) and turnknob for physically impaired	Stainless Steel	1	Set
DKP-430-GF 300	dormakaba 300x(width of door)x1.2mm thick Grade 430 stainless steel kick plate. Stainless Steel Kick Plate to be Glue Fixed. (List price calculated on 813mm wide door)	430 Brushed Stainless Steel	2	Each
DSS-133 P	dormakaba 150x150mm DISABLED PERSONS sign	Stainless Steel	1	Each

HARDWARE PER SET



PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

HARDWARE FOR SET:	07			
Hardware Set Quantity :	1			
Notes	Doorcloser Fitted To Inside, Parallel Arm Fixing. Aluminium Fabricator To Prepare Aluminium Section With Timber Infill At Back To Back Fixing Points Ensuring Stable Fixing Of Pull Handles. Male/Female Screws To Be Used To Fix Cylinder Escutcheons As Per ELIDZ Requirements.			
Doors (1)	SF2/01			
Product Code	Description	Finish	Qty	Units
5050	2100mm Aluminium Sinkless Hinges.	Natural	1	Each
TS83 PA - SL	dormakaba EN 3-6 Rack and pinion door closer with standard NON HOLD OPEN scissor arm and parallel arm bracket. EN1154, certified to ISO 9001. Hydraulic speed control and backcheck. Standard push side fixing. EN3 suitable for door width 850-950mm, EN4 suitable for door width 950-1100mm, EN5 suitable for door width 1100-1250mm, EN6 suitable for door width 1250-1400mm. Fire rated	Silver	1	Set
DPH206 BTB	dormakaba 400x30mm Offset Tubular Pull Handle BTB (BTB Fixing Sets included) (Pull Handle complies with BS 8424. Grade 3 - Heavy Duty)	Stainless Steel	1	Pair
TS73v or TS83 Drop Plate	dormakaba Drop plate only for installation on frame when direct fixing of closer is not possible.	-	1	Each
D037D SS	dormakaba Cylinder Deadlock. Case dimensions (mm) 116.5H x 78D. Forend dimensions (mm) 168H x 22W. Backset 57mm.	Stainless Steel	1	Each
CISA	CISA 65mm NP GGMK Knob Cylinder.		1	Each
DCE-002 S.S	dormakaba Round Cylinder escutcheon	Stainless Steel	1	Pair

HARDWARE PER SET



PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

HARDWARE FOR SET:	06			
Hardware Set Quantity :	1			
Notes	Doorcloser Fitted To Inside, Parallel Arm Fixing. Male/Female Screws To Be Used To Fix Cylinder Escutcheons As Per ELIDZ Requirements.			
Doors (2)	D02, D36			
Product Code	Description	Finish	Qty	Units
DBB-SS-009	dormakaba 102x75x3mm, EN1935 Grade 13, Two ball bearing butt hinge. Fire rated. 120kg Carrying capacity per pair. Finish: Stainless Steel	Stainless Steel	1.5	Pair
TS83 PA - SL	dormakaba EN 3-6 Rack and pinion door closer with standard NON HOLD OPEN scissor arm and parallel arm bracket. EN1154, certified to ISO 9001. Hydraulic speed control and backcheck. Standard push side fixing. EN3 suitable for door width 850-950mm, EN4 suitable for door width 950-1100mm, EN5 suitable for door width 1100-1250mm, EN6 suitable for door width 1250-1400mm. Fire rated	Silver	1	Set
DHP-430-CL-SF 170X170	dormakaba DPH301C Pull Handle BT fixed on a 170x170x1.2mm thick Grade 430 stainless steel plate with cylinder cutout left. Stainless Steel Plate to have 4 countersunk holes for screw fixing. (Special Order)	430 Brushed Stainless Steel	1	Each
DHP-430-CR-SF 170X170	dormakaba DPH301C Pull Handle BT fixed on a 170x170x1.2mm thick Grade 430 stainless steel plate with cylinder cutout right. Stainless Steel Plate to have 4 countersunk holes for screw fixing. (Special Order)	430 Brushed Stainless Steel	1	Each
Fixing Screws	dormakaba M4 Patent Male / Female fixing screw pack (2 pairs per pack)	Stainless Steel	2	Pack
D037D SS	dormakaba Cylinder Deadlock. Case dimensions (mm) 116.5H x 78D. Forend dimensions (mm) 168H x 22W. Backset 57mm.	Stainless Steel	1	Each
CISA	CISA 65mm NP GGMK Knob Cylinder.		1	Each
DSS-132 MF	dormakaba 150x150mm MALE/FEMALE sign	Stainless Steel	1	Each

HARDWARE PER SET



PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

HARDWARE FOR SET:		08		
Hardware Set Quantity :		1		
Notes		Aluminium Fabricator To Prepare Aluminium Section With Timber Infill At Back To Back Fixing Points Ensuring Stable Fixing Of Pull Handles. Male/Female Screws To Be Used To Fix Cylinder Escutcheons As Per ELIDZ Requirements.		
Doors (2)		D15, SF1/14		
Product Code	Description	Finish	Qty	Units
5050	2100mm Aluminium Sinkless Hinges.	Natural	2	Each
TS92B - SL	dormakaba EN 1-4 Cam action door closer with NON HOLD OPEN slide channel arm. EN1154, certified to ISO 9001. Adjustable hydraulic speed control. Standard pull-side door leaf fixing. Transom push-side fixing. EN1 suitable for door width < 750mm, EN2 suitable for door width 750-850mm, EN3 suitable for door width 850-950mm, EN4 suitable for door width 950-1100mm. Fire rated: CERTI FIRE approved (CF 119) for door types ITT 120, MM/IMM 240	Silver	1	Each
DPH206 BTB	dormakaba 400x30mm Offset Tubular Pull Handle BTB (BTB Fixing Sets included) (Pull Handle complies with BS 8424. Grade 3 - Heavy Duty)	Stainless Steel	2	Pair
Fixing Screws	dormakaba M4 Patent Male / Female fixing screw pack (2 pairs per pack)	Stainless Steel	1	Pack
D037D SS	dormakaba Cylinder Deadlock. Case dimensions (mm) 116.5H x 78D. Forend dimensions (mm) 168H x 22W. Backset 57mm.	Stainless Steel	1	Each
CISA	CISA 65mm NP GGMK Knob Cylinder.		1	Each
DCE-002 S.S	dormakaba Round Cylinder escutcheon	Stainless Steel	2	Pair
CISA	CISA 65mm NP GGMK Double Cylinder.		1	Each
DPS-SS-032	dormakaba Dust Proof Strike	Stainless Steel	1	Each

HARDWARE PER SET



PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

Product Code	Description	Finish	Qty	Units
M1519AS	Alufab M1519AS 150mm Anodised Alum Flush Bolts.		2	Each
DDS-SS-017	dormakaba Floor Mounted Door Stop	Stainless Steel	1	Each
55250 57 20	CISA Anti Thrust Mortice Nightlatch With Holdback Snib, Profile Cylinder, Case Only		1	each
TS101	a UNION "TRIMEC" TS101 AWR Electric Strike		1	Each
ACBSS	Access control by security specialist		1	Each

HARDWARE FOR SET:	09			
Hardware Set Quantity :	1			
Notes	Doorcloser Fitted To Inside, Parallel Arm Fixing. Aluminium Fabricator To Prepare Aluminium Section With Timber Infill At Back To Back Fixing Points Ensuring Stable Fixing Of Pull Handles. Doorstop Positioning Dependant On Finished Floor Level.			
Doors (1)	D22			
Product Code	Description	Finish	Qty	Units
M1519AS	Alufab M1519AS 150mm Anodised Alum Flush Bolts.		2	Each
CISA	CISA 65mm NP GGMK Knob Cylinder.		1	Each
5050	2100mm Aluminium Sinkless Hinges.	Natural	2	Each
TS83 PA - SL	dormakaba EN 3-6 Rack and pinion door closer with standard NON HOLD OPEN scissor arm and parallel arm bracket. EN1154, certified to ISO 9001. Hydraulic speed control and backcheck. Standard push side fixing. EN3 suitable for door width 850-950mm, EN4 suitable for door width 950-1100mm, EN5 suitable for door width 1100-1250mm, EN6 suitable for door width 1250-1400mm. Fire rated	Silver	1	Set

HARDWARE PER SET



PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

Product Code	Description	Finish	Qty	Units
DPH206 BTB	dormakaba 400x30mm Offset Tubular Pull Handle BTB (BTB Fixing Sets included) (Pull Handle complies with BS 8424. Grade 3 - Heavy Duty)	Stainless Steel	2	Pair
TS73v or TS83 Drop Plate	dormakaba Drop plate only for installation on frame when direct fixing of closer is not possible.	-	1	Each
Fixing Screws	dormakaba M4 Patent Male / Female fixing screw pack (2 pairs per pack)	Stainless Steel	1	Pack
D037D SS	dormakaba Cylinder Deadlock. Case dimensions (mm) 116.5H x 78D. Forend dimensions (mm) 168H x 22W. Backset 57mm.	Stainless Steel	1	Each
DCE-002 S.S	dormakaba Round Cylinder escutcheon	Stainless Steel	1	Pair
DPS-SS-032	dormakaba Dust Proof Strike	Stainless Steel	1	Each
DDS-SS-021	dormakaba Floor Mounted Door Stop	Stainless Steel	1	Each

HARDWARE PER SET



PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

HARDWARE FOR SET:	10			
Hardware Set Quantity :	1			
Notes				
Doors (3)	D73, D37, D19			
Product Code	Description	Finish	Qty	Units
CISA	CISA 65mm NP GGMK Double Cylinder.		1	Each
HLBGM	Hinges and lock box by gate manufacture		1	Each
000000	ISEO ISEO 0000007780000 Tropicalised Steel Three Throws Backing Latch Hooks Profile Cylinder Lockcase For Use On either Swing Or Sliding Gates. Cylinder Excluded.	-	1	Each
166	Halstead 200 mm SC on Brass Cabin Hook and Eye With 100x100x75mm Chamfered Wrot Meranti Block		1	Each

HARDWARE PER SET



PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

HARDWARE FOR SET:	11			
Hardware Set Quantity :	1			
Notes				
Doors (2)	D18, D61			
Product Code	Description	Finish	Qty	Units
2040	Alufab 2040 200mm Aluminium Sinkless Hinges, Centre Pin, Anodised		4	Each
DPH301C BT	dormakaba 149x19mm Straight Tubular Pull Handle BT	Stainless Steel	2	Each
DBC-SS-022	dormakaba Adjustable Roller Bolt	Stainless Steel	2	Each
DSS-145 FHR	dormakaba 150x150mm FIRE HOSE REEL sign	Stainless Steel	1	Each
SIGNAGE	a Signage Fixed To Adjacent Wall		0	0

HARDWARE PER SET



PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

HARDWARE FOR SET:	12			
Hardware Set Quantity :	1			
Notes	Aluminium Fabricator To Utilise R4 - 85mm Upright Styles. This Needed To Suit Lockcase Depth. Male/Female Screws To Be Used To Fix Cylinder Escutcheons As Per ELIDZ Requirements.			
Doors (4)	D16, D17, D62, D63			
Product Code	Description	Finish	Qty	Units
CISA	CISA 65mm NP GGMMK Double Cylinder.		1	Each
2040	Alufab 2040 200mm Aluminium Sinkless Hinges, Centre Pin, Anodised		2	Each
DPH301C BT	dormakaba 149x19mm Straight Tubular Pull Handle BT	Stainless Steel	1	Each
D037D SS	dormakaba Cylinder Deadlock. Case dimensions (mm) 116.5H x 78D. Forend dimensions (mm) 168H x 22W. Backset 57mm.	Stainless Steel	1	Each
DCE-002 S.S	dormakaba Round Cylinder escutcheon	Stainless Steel	0.5	Pair
DBC-SS-022	dormakaba Adjustable Roller Bolt	Stainless Steel	1	Each

HARDWARE PER SET

PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

HARDWARE FOR SET:	13			
Hardware Set Quantity :	1			
Notes	Signage Denoting Escape Route To Be Promintly Displayed. Doorcloser Fitted To Inside, Parallel Arm Fixing.			
Doors (1)	D24			
Product Code	Description	Finish	Qty	Units
DBB-SS-009	dormakaba 102x75x3mm, EN1935 Grade 13, Two ball bearing butt hinge. Fire rated. 120kg Carrying capacity per pair. Finish: Stainless Steel	Stainless Steel	1.5	Pair
TS83 PA - SL	dormakaba EN 3-6 Rack and pinion door closer with standard NON HOLD OPEN scissor arm and parallel arm bracket. EN1154, certified to ISO 9001. Hydraulic speed control and backcheck. Standard push side fixing. EN3 suitable for door width 850-950mm, EN4 suitable for door width 950-1100mm, EN5 suitable for door width 1100-1250mm, EN6 suitable for door width 1250-1400mm. Fire rated	Silver	1	Set
PHA2 S SD	dormakaba Two point locking panic bar - Single door - Door leaf 1000mm wide x 2270mm high (2201. 2104. PHX02. PHX04)	-	1	Set
PHT3901	dormakaba Exterior access lock with lever handle (Cylinder not included)	Satin Nickel	1	Each
CISA	CISA 42,5mm NP GGMK Half Cylinder.		1	Each

HARDWARE PER SET



PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

HARDWARE FOR SET:	14			
Hardware Set Quantity :	1			
Notes	Male/Female Screws To Be Used To Fix Cylinder Escutcheons As Per ELIDZ Requirements.			
Doors (4)	SF4/64, SF4/65, SF3/59, SF6/60			
Product Code	Description	Finish	Qty	Units
CISA	CISA 65mm NP GGMK Knob Cylinder.		1	Each
1040	a 1040 100mm Aluminium Sinkless Hinge, Centre Pin With Standard Alignment Grooving For Easy Fitment		1	Pair
CR003 Latch S.S	dormakaba Lever handle on rose - Latch	Stainless Steel	1	Set
D036S SS	dormakaba Cylinder Sash Lock. Case dimensions (mm) 116.5H x 78D. Forend dimensions (mm) 168H x 22W. Backset 57mm. Centres 61mm.	Stainless Steel	1	Each
DCE-002 S.S	dormakaba Round Cylinder escutcheon	Stainless Steel	1	Pair
DDH-SS-020	dormakaba Wall Buffer	Stainless Steel	1	Each

HARDWARE PER SET



PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

HARDWARE FOR SET:	15			
Hardware Set Quantity :	1			
Notes	Signage Denoting Escape Route To Be Promintly Displayed.			
Doors (1)	D66			
Product Code	Description	Finish	Qty	Units
DBB-SS-009	dormakaba 102x75x3mm, EN1935 Grade 13, Two ball bearing butt hinge. Fire rated. 120kg Carrying capacity per pair. Finish: Stainless Steel	Stainless Steel	1.5	Pair
PHA2 S SD	dormakaba Two point locking panic bar - Single door - Door leaf 1000mm wide x 2270mm high (2201. 2104. PHX02. PHX04)	-	1	Set

HARDWARE PER SET



PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

HARDWARE FOR SET:	16			
Hardware Set Quantity :	1			
Notes	Half knob cylinder for locking from the (secure) inside only.			
Doors (1)	D52			
Product Code	Description	Finish	Qty	Units
166	Halstead 200 mm SC on Brass Cabin Hook and Eye With 100x100x75mm Chamfered Wrot Meranti Block		1	Each
2040	Alufab 2040 200mm Aluminium Sinkless Hinges, Centre Pin, Anodised		2	Each
CR003 Latch S.S	dormakaba Lever handle on rose - Latch	Stainless Steel	1	Set
D036S SS	dormakaba Cylinder Sash Lock. Case dimensions (mm) 116.5H x 78D. Forend dimensions (mm) 168H x 22W. Backset 57mm. Centres 61mm.	Stainless Steel	1	Each
DHK204101	dormakaba 41mm Europrofile Half Knob Cylinder	Satin Nickel	1	Each
DCE-002 S.S	dormakaba Round Cylinder escutcheon	Stainless Steel	0.5	Pair

HARDWARE PER SET



PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

HARDWARE FOR SET:	18			
Hardware Set Quantity :	1			
Notes	Pull Handles Mounted A Minimum Of 70mm From Leading Edge Of Door			
Doors (1)	D56			
Product Code	Description	Finish	Qty	Units
DBB-SS-009	dormakaba 102x75x3mm, EN1935 Grade 13, Two ball bearing butt hinge. Fire rated. 120kg Carrying capacity per pair. Finish: Stainless Steel	Stainless Steel	1.5	Pair
TS91B - SL	dormakaba EN 3 Cam action door closer with standard NON HOLD OPEN slide channel arm. EN1154, certified to ISO 9001. Hydraulic speed control. Standard pull-side door leaf fixing. Transom push-side fixing. EN3 suitable for door width 850-950mm. Fire rated: CERTI FIRE approved (CF 119) for door types ITT 120, IMM/IMM 240. (Hold open not recommended for use on fire rated doors)	Silver	1	Each
DPH209 BTB	dormakaba 200x22mm Straight Tubular Pull Handle BTB (BTB Fixing Sets included)	Stainless Steel	1	Pair
DDH-SS-020	dormakaba Wall Buffer	Stainless Steel	1	Each
DSS-131 F	dormakaba 150x150mm FEMALE sign	Stainless Steel	1	Each

HARDWARE PER SET



PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

HARDWARE FOR SET:	17			
Hardware Set Quantity :	1			
Notes	Pull Handles Mounted A Minimum Of 70mm From Leading Edge Of Door			
Doors (2)	D53, D39			
Product Code	Description	Finish	Qty	Units
DBB-SS-009	dormakaba 102x75x3mm, EN1935 Grade 13, Two ball bearing butt hinge. Fire rated. 120kg Carrying capacity per pair. Finish: Stainless Steel	Stainless Steel	1.5	Pair
TS91B - SL	dormakaba EN 3 Cam action door closer with standard NON HOLD OPEN slide channel arm. EN1154, certified to ISO 9001. Hydraulic speed control. Standard pull-side door leaf fixing. Transom push-side fixing. EN3 suitable for door width 850-950mm. Fire rated: CERTI FIRE approved (CF 119) for door types ITT 120, MM/IMM 240. (Hold open not recommended for use on fire rated doors)	Silver	1	Each
DPH209 BTB	dormakaba 200x22mm Straight Tubular Pull Handle BTB (BTB Fixing Sets included)	Stainless Steel	1	Pair
DSS-130 M	dormakaba 150x150mm MALE sign	Stainless Steel	1	Each
DDH-SS-020	dormakaba Wall Buffer	Stainless Steel	1	Each

HARDWARE FOR SET:	19			
Hardware Set Quantity :	1			
Notes	Signage Denoting Escape Route To Be Prominently Displayed			
Doors (9)	D47, D48, D43, D42, D33, D28, D27, D26, D25			
Product Code	Description	Finish	Qty	Units
DBB-SS-009	dormakaba 102x75x3mm, EN1935 Grade 13, Two ball bearing butt hinge. Fire rated. 120kg Carrying capacity per pair. Finish: Stainless Steel	Stainless Steel	1.5	Pair
PHA2 S SD	dormakaba Two point locking panic bar - Single door - Door leaf 1000mm wide x 2270mm high (2201. 2104. PHX02. PHX04)	-	1	Set

HARDWARE PER SET



PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

HARDWARE FOR SET:	20			
Hardware Set Quantity :	1			
Notes	Doorcloser Fitted To Inside, Parallel Arm Fixing. Pull Handles Mounted As Per Disabled SANS Regulations. Escutcheon Cover Plates To Be Epoxy Glued. Male/Female Screws To Be Used To Fix Cylinder Escutcheons As Per ELIDZ Requirements.			
Doors (1)	D40			
Product Code	Description	Finish	Qty	Units
DBB-SS-009	dormakaba 102x75x3mm, EN1935 Grade 13, Two ball bearing butt hinge. Fire rated. 120kg Carrying capacity per pair. Finish: Stainless Steel	Stainless Steel	1.5	Pair
TS73V DC PA - SL	dormakaba EN 1-4 Rack and pinion door closer with standard NON HOLD OPEN scissor arm and parallel arm bracket. EN1154, certified to ISO 9001. Hydraulic speed control, backcheck and DELAYED ACTION. Standard push side fixing. EN 1 suitable for door width <850mm, EN2 suitable for door width 750-850mm, EN3 suitable for door width 850-950mm, EN4 suitable for door width 950-1100mm. Fire rated. Approved to AS1905 Part 1.	Silver	1	Set
DPH301B	dormakaba 325x25mm Straight Tubular Pull Handle Flange Fixing	Stainless Steel	2	Each
Fixing Screws	dormakaba M4 Patent Male / Female fixing screw pack (2 pairs per pack)	Stainless Steel	1	Pack
DMWC-SS-008	dormakaba Bathroom Deadlock. Case dimensions (mm) 38H x 76D. Forend dimensions (mm) 78H x 22.5W. Backset 55mm.	Stainless Steel	1	Each
DWC-006	dormakaba Disabled WC indicator (Red & White) and turnknob for physically impaired	Stainless Steel	1	Set
DKP-430-GF 300	dormakaba 300x(width of door)x1.2mm thick Grade 430 stainless steel kick plate. Stainless Steel Kick Plate to be Glue Fixed. (List price calculated on 813mm wide door)	430 Brushed Stainless Steel	2	Each
DSS-131 F	dormakaba 150x150mm FEMALE sign	Stainless Steel	1	Each
DSS-133 P	dormakaba 150x150mm DISABLED PERSONS sign	Stainless Steel	1	Each

HARDWARE PER SET



PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

HARDWARE FOR SET:	21			
Hardware Set Quantity :	1			
Notes	Aluminium Fabricator To Utilise R4 - 85mm Upright Styles. This Needed To Suit Lockcase Depth. Male/Female Screws To Be Used To Fix Cylinder Escutcheons As Per ELIDZ Requirements.			
Doors (2)	D41, D70			
Product Code	Description	Finish	Qty	Units
M1519AS	Alufab M1519AS 150mm Anodised Alum Flush Bolts.		2	Each
H469	a 600mm Alufab Extension Rod		1	Each
166	Halstead 200 mm SC on Brass Cabin Hook and Eye With 100x100x75mm Chamfered Wrot Meranti Block		2	Each
2040	Alufab 2040 200mm Aluminium Sinkless Hinges, Centre Pin, Anodised		6	Each
DPH301C BT	dormakaba 149x19mm Straight Tubular Pull Handle BT	Stainless Steel	1	Each
D037D SS	dormakaba Cylinder Deadlock. Case dimensions (mm) 116.5H x 78D. Forend dimensions (mm) 168H x 22W. Backset 57mm.	Stainless Steel	1	Each
Fixing Screws	dormakaba M4 Patent Male / Female fixing screw pack (2 pairs per pack)	Stainless Steel	1	Pack
CISA	CISA 65mm NP GGMK Knob Cylinder.		1	Each
DCE-002 S.S	dormakaba Round Cylinder escutcheon	Stainless Steel	1	Pair
DBC-SS-022	dormakaba Adjustable Roller Bolt	Stainless Steel	1	Each

HARDWARE PER SET



PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

HARDWARE FOR SET:	22			
Hardware Set Quantity :	1			
Notes	Male/Female Screws To Be Used To Fix Cylinder Escutcheons As Per ELIDZ Requirements.			
Doors (2)	SF8, SF10			
Product Code	Description	Finish	Qty	Units
5050	2100mm Aluminium Sinkless Hinges.	Natural	1	Each
CR003 Latch S.S	dormakaba Lever handle on rose - Latch	Stainless Steel	1	Set
D036S SS	dormakaba Cylinder Sash Lock. Case dimensions (mm) 116.5H x 78D. Forend dimensions (mm) 168H x 22W. Backset 57mm. Centres 61mm.	Stainless Steel	1	Each
Fixing Screws	dormakaba M4 Patent Male / Female fixing screw pack (2 pairs per pack)	Stainless Steel	1	Pack
CISA	CISA 65mm NP GGKMK Knob Cylinder.		1	Each
DCE-002 S.S	dormakaba Round Cylinder escutcheon	Stainless Steel	1	Pair
166	Halstead 200 mm SC on Brass Cabin Hook and Eye With 100x100x75mm Chamfered Wrot Meranti Block		1	Each

HARDWARE PER SET



PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

HARDWARE FOR SET:	23			
Hardware Set Quantity :	1			
Notes	Male/Female Screws To Be Used To Fix Cylinder Escutcheons As Per ELIDZ Requirements. Escutcheon Cover Plates To Be Epoxy Glued.			
Doors (1)	D72			
Product Code	Description	Finish	Qty	Units
DBB-SS-009	dormakaba 102x75x3mm, EN1935 Grade 13, Two ball bearing butt hinge. Fire rated. 120kg Carrying capacity per pair. Finish: Stainless Steel	Stainless Steel	1	Pair
CR003 Latch S.S	dormakaba Lever handle on rose - Latch	Stainless Steel	1	Set
D035S SS	dormakaba Bathroom Sash Lock. Case dimensions (mm) 102H x 78D. Forend dimensions (mm) 155H x 22W. Backset 57mm. Centres 57mm.	Stainless Steel	1	Each
Fixing Screws	dormakaba M4 Patent Male / Female fixing screw pack (2 pairs per pack)	Stainless Steel	1	Pack
DWC-005	dormakaba Bathroom WC indicator (Red and White) and turnknob	Stainless Steel	1	Set
DHC-SS-030A	dormakaba Hat and Coat Hook	Stainless Steel	1	Each
DKP-430-SF 250	dormakaba 250x(width of door)x1.2mm thick Grade 430 stainless steel kick plate. Stainless Steel Kick Plate to have 10 countersunk holes for screw fixing. (List price calculated on 813mm wide door)	430 Brushed Stainless Steel	1	Each

HARDWARE PER SET

PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

HARDWARE FOR SET:	24			
Hardware Set Quantity :	1			
Notes	Male/Female Screws To Be Used To Fix Cylinder Escutcheons As Per ELIDZ Requirements.			
Doors (1)	D76			
Product Code	Description	Finish	Qty	Units
CISA	CISA 65mm NP GGMK Knob Cylinder.		1	Each
DBB-SS-009	dormakaba 102x75x3mm, EN1935 Grade 13, Two ball bearing butt hinge. Fire rated. 120kg Carrying capacity per pair. Finish: Stainless Steel	Stainless Steel	1.5	Pair
CR003 Latch S.S	dormakaba Lever handle on rose - Latch	Stainless Steel	1	Set
Fixing Screws	dormakaba M4 Patent Male / Female fixing screw pack (2 pairs per pack)	Stainless Steel	1	Pack
D036S SS	dormakaba Cylinder Sash Lock. Case dimensions (mm) 116.5H x 78D. Forend dimensions (mm) 168H x 22W. Backset 57mm. Centres 61mm.	Stainless Steel	1	Each
DCE-002 S.S	dormakaba Round Cylinder escutcheon	Stainless Steel	1	Pair
DDS-SS-017	dormakaba Floor Mounted Door Stop	Stainless Steel	1	Each

PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

Product Code	Description	Finish	Units	Qty	Price (ZAR)	Total (ZAR)
H469	a 600mm Alufab Extension Rod		Each	2.0		
1040	a 1040 100mm Aluminium Sinkless Hinge, Centre Pin With Standard Alignment Grooving For Easy Fitment		Pair	4.0		
2040	Alufab 2040 200mm Aluminium Sinkless Hinges, Centre Pin, Anodised		Each	30.0		
5050	2100mm Aluminium Sinkless Hinges.	Natural	Each	9.0		
DBB-SS-009	dormakaba 102x75x3mm, EN1935 Grade 13, Two ball bearing butt hinge. Fire rated. 120kg Carrying capacity per pair. Finish: Stainless Steel	Stainless Steel	Pair	50.0		
GGMK	<p>GGMK Cylinders To Form Part Of Masterkey system For the EL IDZ.</p> <p>All Cylinders And Padlocks To Be Supplied Under The Commercial Building Master "GGMK" As Per Attached Key Control. (ELIDZ/GCP/New Building.</p> <p>Sample To Be Provided Of Code Stamped On The Cylinder And Keys.To Simplify i.e. ELISZ/GCP/e.g. HS1 001, 002 etc And Approved By Gary.</p> <p>ELIDZ Will Require That 7 Extra Cylinders (Per Building) Be Supplied Under The Contract And These To Be Kept As Spare cylinders In the ELIDZ Key Control Room.</p> <p>2 x KK - key both sides of cylinder.</p> <p>3 x K/KB - key one side with knob turn on the other side.</p> <p>2 x half cylinder is key one side only.</p> <p>Labelling:</p> <p>All Keys To Be Labelled/Tagged Separately And Include The Following:</p> <p>Door number - "D 001"</p> <p>Description - "Workshop Entrance"</p> <p>Key Number - "ELIDZ/GCP/HS1 001"</p> <p>3 Keys To Be Supplied Per cylinder.</p> <p>2 x For Tenant.</p> <p>1 x For Key Room/Cabinet.</p>	Satin Nickel	Each	2.0		
HLBGM	Hinges and lock box by gate manufacture		Each	3.0		
000000	ISEO ISEO 0000007780000 Tropicalised Steel Three Throws Backing Latch Hooks Profile Cylinder Lockcase For Use On either Swing Or Sliding Gates. Cylinder Excluded.	-	Each	3.0		
CR003 Latch S.S	dormakaba Lever handle on rose - Latch	Stainless Steel	Set	24.0		

PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

Product Code	Description	Finish	Units	Qty	Price (ZAR)	Total (ZAR)
DPH301C BT	dormakaba 149x19mm Straight Tubular Pull Handle BT	Stainless Steel	Each	10.0		
TS73V DC PA - SL	dormakaba EN 1-4 Rack and pinion door closer with standard NON HOLD OPEN scissor arm and parallel arm bracket. EN1154, certified to ISO 9001. Hydraulic speed control, backcheck and DELAYED ACTION. Standard push side fixing. EN 1 suitable for door width <850mm, EN2 suitable for door width 750-850mm, EN3 suitable for door width 850-950mm, EN4 suitable for door width 950-1100mm. Fire rated. Approved to AS1905 Part 1.	Silver	Set	2.0		
TS73V PA - SL	dormakaba EN 1-4 Rack and pinion door closer with standard NON HOLD OPEN scissor arm and parallel arm bracket. EN1154, certified to ISO 9001. Hydraulic speed control and backcheck. Standard push side fixing. EN 1 suitable for door width <850mm, EN2 suitable for door width 750-850mm, EN3 suitable for door width 850-950mm, EN4 suitable for door width 950-1100mm. Fire rated. Approved to AS1905 Part 1.	Silver	Each	2.0		
TS83 PA - SL	dormakaba EN 3-6 Rack and pinion door closer with standard NON HOLD OPEN scissor arm and parallel arm bracket. EN1154, certified to ISO 9001. Hydraulic speed control and backcheck. Standard push side fixing. EN3 suitable for door width 850-950mm, EN4 suitable for door width 950-1100mm, EN5 suitable for door width 1100-1250mm, EN6 suitable for door width 1250-1400mm. Fire rated	Silver	Set	5.0		
TS91B - SL	dormakaba EN 3 Cam action door closer with standard NON HOLD OPEN slide channel arm. EN1154, certified to ISO 9001. Hydraulic speed control. Standard pull-side door leaf fixing. Transom push-side fixing. EN3 suitable for door width 850-950mm. Fire rated: CERTI FIRE approved (CF 119) for door types ITT 120, MM/IMM 240. (Hold open not recommended for use on fire rated doors)	Silver	Each	3.0		
TS92B - SL	dormakaba EN 1-4 Cam action door closer with NON HOLD OPEN slide channel arm. EN1154, certified to ISO 9001. Adjustable hydraulic speed control. Standard pull-side door leaf fixing. Transom push-side fixing. EN1 suitable for door width < 750mm, EN2 suitable for door width 750-850mm, EN3 suitable for door width 850-950mm, EN4 suitable for door width 950-1100mm. Fire rated: CERTI FIRE approved (CF 119) for door types ITT 120, MM/IMM 240	Silver	Each	2.0		
D035S SS	dormakaba Bathroom Sash Lock. Case dimensions (mm) 102H x 78D. Forend dimensions (mm) 155H x 22W. Backset 57mm. Centres 57mm.	Stainless Steel	Each	11.0		
D036S SS	dormakaba Cylinder Sash Lock. Case dimensions (mm) 116.5H x 78D. Forend dimensions (mm) 168H x 22W. Backset 57mm. Centres 61mm.	Stainless Steel	Each	13.0		
DBC-SS-022	dormakaba Adjustable Roller Bolt	Stainless Steel	Each	10.0		
DHP-430-CL-SF 170X170	dormakaba DPH301C Pull Handle BT fixed on a 170x170x1.2mm thick Grade 430 stainless steel plate with cylinder cutout left. Stainless Steel Plate to have 4 countersunk holes for screw fixing. (Special Order)	430 Brushed Stainless Steel	Each	2.0		

BILL OF MATERIALS

PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

Product Code	Description	Finish	Units	Qty	Price (ZAR)	Total (ZAR)
DPH206 BTB	dormakaba 400x30mm Offset Tubular Pull Handle BTB (BTB Fixing Sets included) (Pull Handle complies with BS 8424. Grade 3 - Heavy Duty)	Stainless Steel	Pair	7.0		
DPH209 BTB	dormakaba 200x22mm Straight Tubular Pull Handle BTB (BTB Fixing Sets included)	Stainless Steel	Pair	5.0		
DPH301B	dormakaba 325x25mm Straight Tubular Pull Handle Flange Fixing	Stainless Steel	Each	3.0		
PHA2 S SD	dormakaba Two point locking panic bar - Single door - Door leaf 1000mm wide x 2270mm high (2201. 2104. PHX02. PHX04)	-	Set	11.0		
166	Halstead 200 mm SC on Brass Cabin Hook and Eye With 100x100x75mm Chamfered Wrot Meranti Block		Each	10.0		
D037D SS	dormakaba Cylinder Deadlock. Case dimensions (mm) 116.5H x 78D. Forend dimensions (mm) 168H x 22W. Backset 57mm.	Stainless Steel	Each	14.0		
DHK204101	dormakaba 41mm Europrofile Half Knob Cylinder	Satin Nickel	Each	1.0		
DHP-430-CR-SF 170X170	dormakaba DPH301C Pull Handle BT fixed on a 170x170x1.2mm thick Grade 430 stainless steel plate with cylinder cutout right. Stainless Steel Plate to have 4 countersunk holes for screw fixing. (Special Order)	430 Brushed Stainless Steel	Each	2.0		
DMWC-SS-008	dormakaba Bathroom Deadlock. Case dimensions (mm) 38H x 76D. Forend dimensions (mm) 78H x 22.5W. Backset 55mm.	Stainless Steel	Each	2.0		
DSS-145 FHR	dormakaba 150x150mm FIRE HOSE REEL sign	Stainless Steel	Each	2.0		
DWC-005	dormakaba Bathroom WC indicator (Red and White) and turnknob	Stainless Steel	Set	11.0		
PHT3901	dormakaba Exterior access lock with lever handle (Cylinder not included)	Satin Nickel	Each	1.0		

BILL OF MATERIALS

PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

Product Code	Description	Finish	Units	Qty	Price (ZAR)	Total (ZAR)
TS73v or TS83 Drop Plate	dormakaba Drop plate only for installation on frame when direct fixing of closer is not possible.	-	Each	2.0		
CISA	CISA 65mm NP GGMK Knob Cylinder.		Each	23.0		
CISA	CISA 42,5mm NP GGMK Half Cylinder.		Each	1.0		
DHC-SS-030A	dormakaba Hat and Coat Hook	Stainless Steel	Each	1.0		
DHC-SS-031B	dormakaba Hat and Coat Hook with rubber buffer	Stainless Steel	Each	10.0		
DWC-006	dormakaba Disabled WC indicator (Red & White) and turnknob for physically impaired	Stainless Steel	Set	2.0		
SIGNAGE	a Signage Fixed To Adjacent Wall		0	0.0		
DCE-002 S.S	dormakaba Round Cylinder escutcheon	Stainless Steel	Pair	24.5		
DDS-SS-017	dormakaba Floor Mounted Door Stop	Stainless Steel	Each	8.0		
Fixing Screws	dormakaba M4 Patent Male / Female fixing screw pack (2 pairs per pack)	Stainless Steel	Pack	33.0		
CISA	CISA 65mm NP GGMK Double Cylinder.		Each	9.0		
DKP-430-SF 250	dormakaba 250x(width of door)x1.2mm thick Grade 430 stainless steel kick plate. Stainless Steel Kick Plate to have 10 countersunk holes for screw fixing. (List price calculated on 813mm wide door)	430 Brushed Stainless Steel	Each	11.0		

BILL OF MATERIALS

PROJECT NAME: SRH05.19.2025. - DTSA. East London IDZ. Zone A1, NW1.

REPORT DATE: 05/06/2025

PROFESSIONAL:

REVISION DATE: 05/06/2025

CONSULTANT: Shaun Harvey

REVISION: v 3

Product Code	Description	Finish	Units	Qty	Price (ZAR)	Total (ZAR)
DSS-130 M	dormakaba 150x150mm MALE sign	Stainless Steel	Each	3.0		
DSS-131 F	dormakaba 150x150mm FEMALE sign	Stainless Steel	Each	3.0		
DDH-SS-020	dormakaba Wall Buffer	Stainless Steel	Each	9.0		
DPS-SS-032	dormakaba Dust Proof Strike	Stainless Steel	Each	3.0		
DSS-132 MF	dormakaba 150x150mm MALE/FEMALE sign	Stainless Steel	Each	2.0		
M1519AS	Alufab M1519AS 150mm Anodised Alum Flush Bolts.		Each	10.0		
55250 57 20	CISA Anti Thrust Mortice Nightlatch With Holdback Snib, Profile Cylinder, Case Only		each	2.0		
DDS-SS-021	dormakaba Floor Mounted Door Stop	Stainless Steel	Each	1.0		
DKP-430-GF 300	dormakaba 300x(width of door)x1.2mm thick Grade 430 stainless steel kick plate. Stainless Steel Kick Plate to be Glue Fixed. (List price calculated on 813mm wide door)	430 Brushed Stainless Steel	Each	4.0		
TS101	a UNION "TRIMEC" TS101 AWR Electric Strike		Each	2.0		
ACBSS	Access control by security specialist		Each	2.0		
DSS-133 P	dormakaba 150x150mm DISABLED PERSONS sign	Stainless Steel	Each	2.0		
					Total (ZAR)	